



Broughan Trailers - Brochure

For any enquiries please phone

George Henderson on 07590503675

Grain, Silage Trailers

The range of grain, silage root/crop trailers are available from 16 to 24 tonne tri-axle with 10 stud commercial axles, commercial spring suspension or bogey and in a variety of sidewall heights.



Root/Crop



Dump Trailers

The range of dump trailers are available from 12 tonne to 24 tonne tri-axle. The trailers come standard with 10 mm floor with 6 mm sides, 10 stiff commercial axles, commercial axles, commercial spring suspension or bogey, double acting up and over hydraulic tailboard or auto-tilt if required and comes standard with mud-flaps, rear and side lights and reflectors.

Cattle Trailers

The cattle trailers are also built in all sizes from 16ft to 32ft tri-axle. These come standard with aluminium sides, ramp and gates and steel checker-plated floor (aluminium checker-plated optional). A slurry tank, dividing gate, side markings and crash bars are also standard in all trailer ranges.



Low Loaders

Low loaders are available from 16 tonne to 30 tonne. The features are the same as dump trailers: commercial axles, commercial spring suspension, hydraulic ramps, outriggers and sprung drawbar. The low loaders come with 245x70x19.5 tyres.



Bale Trailers

The heavy duty bale trailers are built in all sizes. They come standard with steel checker-plated floor, 10 stud commercial axles, commercial spring suspension or bogey (tyres optional).



Optional Extras

Tyres, air brakes, sprung drawbar, swivel hitch and choice of colours.

This is only a small sample of trailers that we design, engineer and manufacture.

Don't hesitate to contact us if you require a trailer but you do not see the spec you require here.

For any enquiries please phone George Henderson on

07590503675 or 01463872759