



Walter Watson Products - Roller Brochure

For any enquiries please phone **George Henderson**
on **07590503675**

6.3 HYDRAULIC WATER BALLAST ROLLER

Heavy duty 150x8mm hollow section frame, barrel size 711mm dia x 10mm plate



- Hydraulic accumulator for equal weight distribution across all three sections
- Three sections independently pivoted for maximum floatation
- 6 independently rotating barrels to eliminate scrubbing
- 75mm axels c/w self aligning heavy duty steel
- 400x60 floatation tyres
- Unladen weight approx 4t, laden weight approx 7t
- bearings Lights and hydraulic brakes as standard



6.3 HYDRAULIC CAMBRIDGE ROLLER

Heavy duty 150x8mm hollow section frame, available with 22'/24' rings and breakers.



- Rear folding sections giving equal weight distribution
- 3 sections independently pivoted for maximum floatation
- 65mm axels c/w self aligning heavy duty steel bearings
- 400x60 floatation tyres
- Roller weight approx 4.5t
- Lights and hydraulic brakes as standard



WATER BALLAST LAND ROLLERS c/w End Tow Hydraulic Wheel Kit

Transfer from transport position by acting ram and pivoting draw-bars. All 9ft, 10ft and 12ft end tow wheel kits incorporate centre support for 3' shaft which allows for transportation fully ballasted.



- Available in 8ft, 9ft, 10 and 12ft
- Barrel diameters: 30" and 36"



WATER BALLAST LAND ROLLERS c/w Rear Hydraulic Wheel Kit

Centre support for 3" shaft on selected models, wide wheel base with 6 stud axels and heavy duty wheels giving stability during transportation. Transfer from transport to rolling position by double acting ram.

- Available widths in 8ft, 9ft
- Barrel Diameters: 30" and 36"



TANDEM LAND ROLLERS

- Roller widths available in 8', 9' and 10'
- Barrel diameters of 30", 36" or 40"
- Wall thickness from 10mm to 20mm
- Frames manufactured from heavy duty rectangular hollow section
- Axles: 3" dia solid bar



For any enquiries please phone George Henderson on 07590503675