

AGENCY SHOP LTD
INK RIBBON PAPER COMPANY, UK
TEL: +44 (0) 2085171256;
DOC. REF: 028/7/16



Waterbased & Hot Melt Spine Bookbinding Tapes & Strips – Heat Activated, Pressure Sensitives, Remoistenable

Prod. Code: AS4007SST. PRESSURE SENSITIVE SELF ADHESIVE CLOTH SPINE BINDING TAPE

A strong, woven and durable acrylic waterproof cloth tape coated with a pressure sensitive adhesive for premium performance.

Key Feature

- Excellent water resistance

- Very strong, tough & robust
- Flexible and highly conformable
- Hard-wearing, good abrasion & corrosion resistance
- Easy unwind
- Can be foil/blind stamped & screen printed
- Low sulphur and halogen
- Tensile/breaking strength (76.5 N/cm); Adhesion: 4.4 N/cm (to steel) & 2.5 N/cm (to backing)
- Good low temperature performance; Service Temperature (-20 to 80 deg.C); Life = or > 2 years
- Designed for both **manual and machine** applications. Requires only a gentle application to adhere to almost any clean, dry, dust-, oil-, grease-free surface

Applications

- Spine binding of cheque books, credit payment books, government credit books, monthly account & accountancy books, brochures, voucher books, catalogues, notebooks pad books, ticket books, ID documents, and all kind of block notes.
- Colour coding and identification (directional marking, in visible colours only)
- General purpose applications in packaging such as package sealing, protecting and strengthening

<h4>Colour & Size Formats</h4> <ul style="list-style-type: none"> • Colours: black, red, green, grey, yellow, white and sapphire blue • Available on rolls. • Roll widths : 25, 30, 38, 50, 75, 100mm, etc • Roll lengths : 50m, etc • Box quantity (according to size): up to 48 rolls • Custom sizes & colours on request 	
---	--

Prod. : AS4008SST. PRESSURE SENSITIVE SELF ADHESIVE EMBOSSED PAPER SPINE BINDING TAPE

This is a spine binding tape with an embossed, coloured paper base coated on one side with a high tack, rubber based pressure sensitive adhesive.

Key Features

- Excellent conformity to the spine of a book
- Easy unwind
- High tensile/breaking strength (70 N/cm); Low elongation at break (4%); Overall thickness (0.25mm approximately)
- Continuous temperature resistance (+70 deg. C); Shelf life: 2 years (can be more, but life expectancy vary with temperature & humidity)
- Peel adhesion (6 N/cm to steel). Leaves distortions on cheque or book cover when removed. That is, you will know if a cheque sheet was removed or added after binding.
- Cloth finish. Attractive embossed appearance
- Requires only a gentle application by [hand or with most automatic taping machines](#) to adhere to almost any clean, dry, dust-, oil-, grease-free surface

Applications

- Spine binding of cheque books, credit payment books, government credit books, monthly account & accountancy books, brochures, voucher books, catalogues, note books, pad books, ticket books, reports, ID documents, and all kind of block notes
 - General purpose packaging, decorating and strengthening, e.g., edge reinforcement, pad header reinforcement, gameboard hinge/reinforcement
-

Colour & Size Formats

- Colours: black, red, green, grey, yellow, white and sapphire blue
- Available on rolls
- Roll widths (w) : 25, 50 76, 100, etc
- Roll lengths (l) : 50, 150, 200, 300m, etc
- Box quantity (according to size): up to 48rolls
- Custom size (w x l) & colours on request



Prod. : AS4009SSTH. HEAT ACTIVATED EMBOSSSED PAPER SPINE BINDING TAPE

This dense, machine-glazed, resin impregnated embossed long fibre paper tape is the perfect choice for added security in spine binding. It is lightweight coated with a thermo-plastic heat sealing adhesive, and cannot be removed from the cheque or book cover without cutting through layers of the cover material.

Key Features

- Excellent conformity to the spine of a book
- Self wound

- Adhesion: aggressive adhesive; can't be removed from substrate without delamination. [long fibres bind securely to substrate/cheque paper on tearing]
- Application temperature (94 - 155 deg. C); Breaking load (72 N/cm); Low elongation at break (4%); Overall thickness (up to 0.19mm)
- Total grammage (carrier paper + adhesive): up to 166gsm (for white), 156gsm (other colours)
- Attractive embossed appearance. [Can be foil blocked and/or printed with personalised features for additional security](#)
- Designed for application [by hand](#) and most automatic taping [machines](#) to adhere to almost any clean, dry, dust-, oil-, grease-free surfaces
- Shelf life:2 years (but life expectancy vary with temperature & humidity in temperate & tropical climates)

Applications

- Spine binding of cheque books, credit payment books, government credit books, monthly account & accountancy books, brochures, voucher books, catalogues,note pads, pads, ticket books, reports, and all kind of block notes

Colour & Size Formats

- Colours: white, black, red, light barclay blue and sapphire dark blue. [others, upon request]
- Available on rolls.
- Roll widths : 28, 35, 38, 50mm, 72, 89, 90, etc
- Roll lengths : 50, 100, 200, 250, etc
- Box quantity (depending on size): up to 48 rolls
- Custom sizes, upon request



Prod. : AS4011SSTH. HEAT ACTIVATED EMBOSSSED VANISHED PAPER SPINE BINDING TAPE

A strong, embossed, acrylic vanish coated, abrasion & scuff resistant lightweight paper tape for spine binding. It is coated with a thermo-plastic heat sealing adhesive, and cannot be removed from the cheque or book cover without cutting through layers of the cover material.

Key Features

- Excellent conformity to the spine of a book
- Self wound
- Adhesion: aggressive adhesive, heat seals from 76° C; It can't be removed from substrate without delamination. [fibres bind securely to substrate/cheque paper on tearing]
- Application temperature (76 - 176 deg. C); Burst Strength ($\geq 465\text{KPa}$); Overall thickness (base + adhesive, $\leq 145\mu$)
- Total grammage (carrier paper + adhesive): up to 151gsm (for white), 132 gsm (other colours)
- Attractive vanished embossed appearance. [Can be foil blocked or offset/screen printed with personalised features for additional security](#)
- Designed for application [by hand](#) and most automatic taping [machines](#) to adhere to almost any clean, dry, dust-, oil-, grease-free surfaces
- Storage: 19 - 23 deg. C; 50-64% RH; Lay flat on cut edges, away from sunlight, solvent, heat and dust/grease.
- Shelf life: 2 years (but life expectancy vary with temperature & humidity in temperate & tropical climates)
- REACH compliant and FSC certified

Applications

- Spine binding of cheque books, credit payment books, government credit books, monthly account & accountancy books, brochures, voucher books, catalogues, note pads, pads, ticket books, reports, ID documents, and all kind of block notes

Colour & Size Formats

- Colours: white, black, red, light barclay blue and sapphire dark blue. [others, upon request]
- Available on rolls.
- Roll widths : 25, 28, 35, 38, 50mm, 75, 100, etc
- Roll lengths : 50, 150, 200, 250, 330m, etc
- Box quantity (depending on size): up to 48 rolls
- Custom sizes, upon request



Tape Storage

- Flat on cut edges
 - Between 6 and 28 deg.C, away from dust, heat, moisture, direct sunlight and solvent fumes
-