LED Steam Room Flush Fitting Down Light - 6w IP65



Code	Description	Price
SR43	White LED 5w Downlighter c/w Integral LED Driver	25.00

- * 84mm dia. Front Faceplate White
- * 55mm dia. cut-out needed
- * IP65 Rated
- * 5 watts

- * Clear Lens
- * Minimum Void 105mm
- * Input Voltage: 240v

White LED Downlight - 1w 350mA c/w 3m Ext Lead 75.00

Blue LED Downlight - 1w 350mA c/w 3m Ext Lead 75.00

6 Way Plug & Play Unit Powers 1 to 6 units

5 metre - High Temp Extension Lead

Adaptor (Old Jack Male Plug to New Female Socket)

Adaptor (Old Jack Socket to New Male Connector)

10 Way Plug & Play Unit Powers 1 to 10 units

- * Beam Angle 55 degrees
- * Selectable colour temperature 3000/4000/5500K
- * 520/560/540 lumens

Code

SA90W

SA90B

SA93-6

SA93-10

SA97-5

SA94-SP

SA94

- * Estimated Life Warranty 3 Years
- * Push-fit terminals with loop-in/loop-out capabilities

Description

* Polished Chrome Face Plate available if required

Steam Room LED Downlighting System - White, Blue & RGB









RGB LED Downlighting System


Code	Description	Price
SA90RGB	RGB LED Downlight - 1w 350mA	POA
SA93-CONT	Controller Pack c/w IR Remote/Power Supply/6 way Distribution Box	POA
SA99-RGB	3 metre Extension Lead (4 wire)	POA

The Plug & Play Units offer the ability to avoid time-consuming & messy wiring arrangements Simply connect the Plug & Play Unit into a 240v source, plug in the first lamp in the empty connection point.

> To fit 2 or more lamps, simply remove the plug and connect your next lamp. Continue up to 6, or 10 whichever Plug & Play Unit you have

> > The LED Downlight System has been tested & proven in high temperature saunas with great success.

All LED lights must be wired in series failure to do so may cause irreparable damage to LED light units. The use of the Plug & Play Units is recommended.



Constant Current Drivers MUST be used with this system.

Price

60.00

62.00

12.00

7.00

POA

WARNING!

Do NOT use standard AC/DC Transformers

Steam LED Stainless Steel Flat Bezel Downlighting System







Constant Current Drivers MUST be used with this system.

WARNING

Do NOT use standard AC/DC Transformers

Code	Description	Price
SA98W SA98B SA98Y	White LED Downlight - 1w 350mA c/w 3m Ext Lead Blue LED Downlight - 1w 350mA c/w 3m Ext Lead Amber LED Downlight - 1w 350mA c/w 3m Ext Lead	85.00
SA93-6 SA93-10	6 Way Plug & Play Unit Powers 1 to 6 units 10 Way Plug & Play Unit Powers 1 to 10 units	60.00 62.00
SA99-5 SA94 SA94-SP	5 metre High Temp Extension Lead Adaptor (Old Jack Male Plug to New Female Socket) Adaptor (Old Jack Socket to New Male Connector)	12.00 7.00 POA
	,	

WARNING!

All LED lights must be wired in series, failure to do so may cause irreparable damage to LED light units