


Products & Services
Flange Tables



1/2" (15mm NOMINAL BORE) 20mm PE

1/2" (15mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	95	67	4	M12	14
	D	95	67	4	M12	14
	E	95	67	4	M12	14
	F	95	67	4	M12	14
	H	114	83	4	M16	18
	J	114	83	4	M16	18
	K	114	83	4	M16	18
	R	114	83	4	M16	18
	S	127	89	4	M20	22
	T	140	102	4	M20	22
A.N.S.I.	125/150	89	60	4	M12	16
	300	95	67	4	M12	16
	600	95	67	4	M12	16
	900	121	83	4	M20	22
	1500	121	83	4	M20	22
P.N.	6	80	55	4	M10	11
	10	95	65	4	M12	14
	16	95	65	4	M12	14
	25	95	65	4	M12	14
	40	95	65	4	M12	14
	64	105	75	4	M12	14
	100	105	75	4	M12	14
	160	105	75	4	M12	14
	250	130	90	4	M16	18

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

3/4 "(20mm NOMINAL BORE) 25mm PE

3/4 " (20mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	102	73	4	M12	14
	D	102	73	4	M12	14
	E	102	73	4	M12	14
	F	102	73	4	M12	14
	H	114	83	4	M16	18
	J	114	83	4	M16	18
	K	114	83	4	M16	18
	R	114	83	4	M16	18
	S	127	89	4	M20	22
	T	140	102	4	M20	22
A.N.S.I.	125/150	98	70	4	M12	16
	300	117	83	4	M16	19
	600	117	83	4	M16	19
	900	130	89	4	M20	22
	1500	130	89	4	M20	22
P.N.	6	90	65	4	M10	11
	10	105	75	4	M12	14
	16	105	75	4	M12	14
	25	105	75	4	M12	14
	40	105	75	4	M12	14
	64	130	90	4	M16	18
	100	130	90	4	M16	18
	160	130	90	4	M16	18
	250	135	95	4	M16	18

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

1" (25mm NOMINAL BORE) 32mm PE

1" (25mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	114	83	4	M12	14
	D	114	83	4	M12	14
	E	114	83	4	M12	14
	F	121	87	4	M16	18
	H	121	87	4	M16	18
	J	121	87	4	M16	18
	K	127	95	4	M16	18
	R	127	95	4	M16	18
	S	140	102	4	M20	22
	T	146	108	4	M20	22
A.N.S.I.	125/150	108	79	4	M12	16
	300	124	89	4	M16	19
	600	124	89	4	M16	19
	900	149	102	4	M24	26
	1500	149	102	4	M24	26
P.N.	6	100	75	4	M10	11
	10	115	85	4	M12	14
	16	115	85	4	M12	14
	25	115	85	4	M12	14
	40	115	85	4	M12	14
	64	140	100	4	M16	18
	100	140	100	4	M16	18
	160	140	100	4	M16	18
	250	150	105	4	M20	22

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

11/4" (32mm NOMINAL BORE) 40mm PE

11/4" (32mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	121	87	4	M12	14
	D	121	87	4	M12	14
	E	121	87	4	M12	14
	F	133	98	4	M16	18
	H	133	98	4	M16	18
	J	133	98	4	M16	18
	K	133	98	4	M16	18
	R	133	98	4	M16	18
	S	146	108	4	M20	22
	T	159	121	4	M24	26
A.N.S.I.	125/150	117	89	4	M12	16
	300	133	98	4	M16	18
	600	133	98	4	M16	18
	900	159	111	4	M24	26
	1500	159	111	4	M24	26
P.N.	6	120	90	4	M12	14
	10	140	100	4	M16	18
	16	140	100	4	M16	18
	25	140	100	4	M16	18
	40	140	100	4	M16	18
	64	155	110	4	M20	22
	100	155	110	4	M20	22
	160	155	110	4	M20	22
	250	165	120	4	M20	22

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

11/2”(40mm NOMINAL BORE) 50mm PE

11/2” (40mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	133	98	4	M12	14
	D	133	98	4	M12	14
	E	133	98	4	M12	14
	F	140	105	4	M16	18
	H	140	105	4	M16	18
	J	140	105	4	M16	18
	K	152	114	4	M20	22
	R	152	114	4	M20	22
	S	159	121	4	M20	22
	T	171	133	4	M20	22
A.N.S.I.	125/150	127	98	4	M12	16
	300	156	114	4	M20	22
	600	156	114	4	M20	22
	900	178	124	4	M24	26
	1500	178	124	4	M24	26
P.N.	6	130	100	4	M12	14
	10	150	110	4	M16	18
	16	150	110	4	M16	18
	25	150	110	4	M16	18
	40	150	110	4	M16	18
	64	170	125	4	M20	22
	100	170	125	4	M20	22
	160	170	125	4	M20	22
	250	185	135	4	M24	26

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

2" (50mm NOMINAL BORE) 63mm PE

2" (50mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	152	114	4	M16	18
	D	152	114	4	M16	18
	E	152	114	4	M16	18
	F	165	127	4	M16	18
	H	165	127	4	M16	18
	J	165	127	4	M20	22
	K	165	127	8	M16	18
	R	165	127	8	M16	18
	S	171	133	8	M20	22
	T	184	146	8	M20	22
A.N.S.I.	125/150	152	121	4	M16	19
	300	165	127	8	M16	19
	600	165	127	8	M16	19
	900	216	165	8	M24	26
	1500	216	165	8	M24	26
P.N.	6	140	110	4	M12	14
	10	165	125	4	M16	18
	16	165	125	4	M16	18
	25	165	125	4	M16	18
	40	165	125	4	M16	18
	64	180	135	4	M20	22
	100	195	145	4	M24	26
	160	195	145	4	M24	26
	250	200	150	8	M24	26

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

21/2" (65mm NOMINAL BORE) 75mm PE

21/2" (65mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	165	127	4	M16	18
	D	165	127	4	M16	18
	E	165	127	4	M16	18
	F	184	146	8	M16	18
	H	184	146	8	M16	18
	J	184	146	8	M20	22
	K	184	146	8	M20	22
	R	184	146	8	M20	22
	S	184	146	8	M20	22
	T	203	165	8	M24	26
A.N.S.I.	125/150	178	140	4	M16	19
	300	191	149	8	M20	22
	600	191	149	8	M20	22
	900	244	191	8	M24	26
	1500	244	191	8	M24	26
P.N.	6	160	130	4	M12	14
	10	185	145	4	M16	18
	16	185	145	4	M16	18
	25	185	145	8	M16	18
	40	185	145	8	M16	18
	64	205	160	8	M20	22
	100	220	170	8	M24	26
	160	220	170	8	M24	26
	250	230	180	8	M24	26

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

3" (80mm NOMINAL BORE) 90mm PE

3" (80mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	184	146	4	M16	18
	D	184	146	4	M16	18
	E	184	146	4	M16	18
	F	203	165	8	M16	18
	H	203	165	8	M16	18
	J	203	165	8	M20	22
	K	203	165	8	M20	22
	R	203	165	8	M20	22
	S	203	165	8	M24	26
	T	235	191	8	M24	26
A.N.S.I.	125/150	191	152	4	M16	19
	300	210	168	8	M20	22
	600	210	168	8	M20	22
	900	241	191	8	M24	26
	1500	267	203	8	M27	30
P.N.	6	190	150	4	M16	18
	10	200	160	8	M16	18
	16	200	160	8	M16	18
	25	200	160	8	M16	18
	40	200	160	8	M16	18
	64	215	170	8	M20	22
	100	230	180	8	M24	26
	160	230	180	8	M24	26
	250	255	200	8	M27	30

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

4" (100mm NOMINAL BORE) 110/125mm PE

4" (100mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	216	178	4	M16	18
	D	216	178	4	M16	18
	E	216	178	8	M16	18
	F	229	191	8	M16	18
	H	229	191	8	M16	18
	J	229	191	8	M20	22
	K	241	197	8	M24	26
	R	241	197	8	M24	26
	S	248	203	8	M24	26
	T	286	235	8	M30	33
A.N.S.I.	125/150	229	191	8	M16	19
	300	254	200	8	M20	22
	600	273	216	8	M24	26
	900	292	235	8	M27	30
	1500	311	241	8	M30	33
P.N.	6	210	170	4	M16	18
	10	220	180	8	M16	18
	16	220	180	8	M16	18
	25	235	190	8	M20	22
	40	235	190	8	M20	22
	64	250	200	8	M24	26
	100	265	210	8	M27	30
	160	265	210	8	M27	30
	250	300	230	8	M30	33

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

5" (125mm NOMINAL BORE) 140mm PE

4" (100mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	254	210	4	M16	18
	D	254	210	8	M16	18
	E	254	210	8	M16	18
	F	279	235	8	M20	22
	H	279	235	8	M20	22
	J	279	235	8	M24	26
	K	279	235	12	M24	26
	R	279	235	12	M24	26
	S	286	235	12	M24	26
	T	324	273	12	M27	30
A.N.S.I.	125/150	254	216	8	M20	22
	300	279	235	8	M20	22
	600	330	267	8	M24	26
	900	350	279	8	M30	33
	1500	375	286	8	M36	39
P.N.	6	240	200	8	M16	18
	10	250	210	8	M16	18
	16	250	210	8	M16	18
	25	270	220	8	M24	26
	40	270	220	8	M24	26
	64	295	240	8	M27	26
	100	315	250	8	M30	33
	160	315	250	8	M30	33
	250	340	275	12	M30	33

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

6" (150mm NOMINAL BORE) 160/180mm PE

6" (150mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	279	235	4	M16	18
	D	279	235	8	M16	18
	E	279	235	8	M20	22
	F	305	260	12	M20	22
	H	305	260	12	M20	22
	J	305	260	12	M24	26
	K	305	260	12	M24	26
	R	305	260	12	M24	26
	S	324	273	12	M24	26
	T	375	318	12	M30	33
A.N.S.I.	125/150	279	241	8	M20	22
	300	318	270	12	M20	22
	600	356	292	12	M24	26
	900	381	318	12	M27	30
	1500	394	318	12	M33	36
P.N.	6	265	225	8	M16	18
	10	285	240	8	M20	22
	16	285	240	8	M20	22
	25	300	250	8	M24	26
	40	300	250	8	M24	26
	64	345	280	8	M30	33
	100	355	290	12	M30	33
	160	355	290	12	M30	33
	250	390	320	12	M33	36

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

7" (175mm NOMINAL BORE)

7" (175mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	305	260	8	M16	18
	D	305	260	8	M16	18
	E	305	260	8	M20	22
	F	337	292	12	M20	22
	H	337	292	12	M20	22
	J	337	292	12	M24	26
	K	343	292	12	M24	26
	R	343	292	12	M24	26
	S	375	318	12	M27	30
	T	432	368	12	M33	36
A.N.S.I.	125/150					
	300					
	600					
	900					
	1500					
P.N.	6					
	10	315	270	8	M20	22
	16	315	270	8	M20	22
	25	330	280	12	M24	26
	40	350	295	12	M27	30
	64	375	310	12	M30	33
	100	385	320	12	M30	33
	160	390	320	12	M33	36
	250	430	355	12	M36	39

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

8" (200mm NOMINAL BORE) 200/225mm PE

8" (200mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	337	292	8	M16	18
	D	337	292	8	M16	18
	E	337	292	8	M20	22
	F	368	324	12	M20	22
	H	368	324	12	M20	22
	J	368	324	12	M24	26
	K	368	318	12	M24	26
	R	368	324	12	M24	26
	S	413	356	12	M30	33
	T	476	406	12	M36	39
A.N.S.I.	125/150	343	298	8	M20	22
	300	381	330	12	M24	26
	600	419	349	12	M27	30
	900	470	394	12	M33	36
	1500	483	394	12	M39	42
P.N.	6	320	280	8	M16	18
	10	340	295	8	M20	22
	16	340	295	12	M20	22
	25	360	310	12	M24	26
	40	375	320	12	M27	30
	64	415	345	12	M33	36
	100	430	360	12	M33	36
	160	430	360	12	M33	36
	250	485	400	12	M39	42

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

9" (225mm NOMINAL BORE)

9" (225mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	368	324	8	M16	18
	D	368	324	8	M16	18
	E	368	324	12	M20	22
	F	406	356	12	M24	26
	H	406	356	12	M24	26
	J	406	356	12	M24	26
	K	406	356	16	M24	26
	R	406	356	16	M24	26
	S	438	387	16	M27	30
	T	508	445	16	M33	36
A.N.S.I.	125/150					
	300					
	600					
	900					
	1500					
P.N.	6					
	10					
	16					
	25					
	40					
	64					
	100					
	160					
	250					

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

10" (250mm NOMINAL BORE) 250/280mm PE

10" (250mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	406	356	8	M20	22
	D	406	356	8	M20	22
	E	406	356	12	M20	22
	F	432	381	12	M24	26
	H	432	381	12	M24	26
	J	432	381	12	M24	26
	K	432	381	16	M24	26
	R	432	387	16	M24	26
	S	483	425	16	M30	33
	T	559	489	16	M36	39
A.N.S.I.	125/150	406	362	12	M24	26
	300	445	387	16	M24	26
	600	508	432	16	M30	33
	900	546	470	16	M33	36
	1500	584	483	12	M48	52
P.N.	6	375	335	12	M16	18
	10	395	350	12	M20	22
	16	405	355	12	M24	26
	25	425	370	12	M27	30
	40	450	385	12	M30	33
	64	470	400	12	M33	36
	100	505	430	12	M36	39
	160	515	430	12	M39	42
	250	585	490	12	M45	48

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

12" (300mm NOMINAL BORE) 315mm PE

12" (300mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	457	406	8	M20	22
	D	457	406	12	M20	22
	E	457	406	12	M24	26
	F	489	438	16	M24	26
	H	489	438	16	M24	26
	J	489	438	16	M24	26
	K	489	432	16	M27	30
	R	508	457	16	M27	30
	S	578	508	16	M36	39
	T	654	572	16	M45	48
A.N.S.I.	125/150	483	432	12	M24	26
	300	521	451	16	M27	30
	600	559	489	20	M30	33
	900	610	533	20	M33	36
	1500	673	572	16	M52	56
P.N.	6	440	395	12	M20	22
	10	445	400	12	M20	22
	16	460	410	12	M24	26
	25	485	430	16	M27	30
	40	515	450	16	M30	33
	64	530	460	16	M33	36
	100	585	500	16	M39	42
	160	585	500	16	M39	42
	250	690	590	16	M48	52

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

14" (350mm NOMINAL BORE) 355mm PE

14" (350mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	527	470	8	M24	26
	D	527	470	12	M24	26
	E	527	470	12	M24	26
	F	552	495	16	M24	26
	H	552	495	16	M24	26
	J	552	495	16	M27	30
	K	572	508	16	M30	33
	R	584	527	16	M30	33
	S	648	578	20	M36	39
	T					
A.N.S.I.	125/150	533	476	12	M24	26
	300	584	514	20	M27	30
	600	603	527	20	M33	36
	900	641	559	20	M36	39
	1500	749	635	16	M56	62
P.N.	6	490	445	12	M20	22
	10	505	460	16	M20	22
	16	520	470	16	M24	26
	25	555	490	16	M30	33
	40	580	510	16	M33	36
	64	600	525	16	M36	39
	100	655	560	16	M45	48
	160					
	250					

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

15" (375mm NOMINAL BORE)

15" (375mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	552	495	8	M24	26
	D	552	495	12	M24	26
	E	552	495	12	M24	26
	F	578	521	16	M24	26
	H	578	521	16	M24	26
	J	578	521	16	M27	30
	K	603	540	20	M30	33
	R	610	552	20	M30	33
	S	699	622	20	M39	42
	T					
A.N.S.I.	125/150					
	300					
	600					
	900					
	1500					
P.N.	6					
	10					
	16					
	25					
	40					
	64					
	100					
	160					
	250					

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

16" (400mm NOMINAL BORE) 400mm PE

16" (400mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	578	521	12	M24	26
	D	578	521	12	M24	26
	E	578	521	12	M24	26
	F	610	552	20	M24	26
	H	610	552	20	M24	26
	J	610	552	20	M27	30
	K	629	565	20	M30	33
	R	641	584	20	M30	33
	S	743	660	20	M45	48
	T					
A.N.S.I.	125/150	597	540	16	M24	26
	300	648	572	20	M30	33
	600	686	603	20	M36	39
	900	705	616	20	M39	42
	1500	826	705	16		
P.N.	6	540	495	16	M20	22
	10	565	515	16	M24	26
	16	580	525	16	M27	30
	25	620	550	16	M33	36
	40	660	585	16	M36	39
	64	670	585	16	M39	42
	100	715	620	16	M45	48
	160					
	250					

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

18" (450mm NOMINAL BORE) 450mm PE

18" (450mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	641	584	12	M24	26
	D	641	584	12	M24	26
	E	641	584	16	M24	26
	F	673	610	20	M27	30
	H	673	610	20	M27	30
	J	673	610	20	M30	33
	K	718	654	20	M33	36
	R	737	673	20	M33	36
	S					
	T					
A.N.S.I.	125/150	635	578	16	M27	30
	300	711	629	24	M30	33
	600	743	654	20	M39	42
	900	787	686	20	M48	52
	1500	914	775	16		
P.N.	6	595	550	16	M20	22
	10	615	565	20	M24	26
	16	640	585	20	M27	30
	25					
	40					
	64					
	100					
	160					
	250					

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

20" (500mm NOMINAL BORE) 500mm PE

20" (500mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	705	641	12	M24	26
	D	705	641	16	M24	26
	E	705	641	16	M24	26
	F	737	673	24	M27	30
	H	737	673	24	M27	30
	J	737	673	24	M30	33
	K	787	711	20	M36	39
	R	806	730	20	M36	39
	S					
	T					
A.N.S.I.	125/150	699	635	20	M27	30
	300	775	686	24	M30	33
	600	813	724	24	M39	42
	900	857	749	20	M52	56
	1500	984	832	16		
P.N.	6	645	600	20	M20	22
	10	670	620	20	M24	26
	16	715	650	20	M30	33
	25	730	660	20	M33	36
	40	755	670	20	M39	42
	64	800	705	20	M45	48
	100	870	760	20	M52	56
	160					
	250					

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

24" (600mm NOMINAL BORE) 560/630mm PE

24" (600mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	826	756	12	M24	26
	D	826	756	16	M24	26
	E	826	756	16	M27	30
	F	851	781	24	M30	33
	H	851	781	24	M30	33
	J	851	781	24	M33	36
	K					
	R					
	S					
	T					
A.N.S.I.	125/150	813	749	20	M30	33
	300	914	813	24	M36	39
	600	940	838	24	M48	52
	900	1041	902	20		
	1500	1168	991	16		
P.N.	6	755	705	20	M24	26
	10	780	725	20	M27	30
	16	840	770	20	M33	36
	25	845	770	20	M36	39
	40	890	795	20	M45	48
	64	930	820	20	M52	56
	100	990	875	20	M56	62
	160					
	250					

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

28" (700mm NOMINAL BORE) 710mm PE

28" (700mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	876	806	16	M24	26
	D	908	845	20	M24	26
	E	908	845	20	M27	30
	F	933	857	24	M30	33
	H					
	J					
	K					
	R					
	S					
	T					
A.N.S.I.	125/150	927	845	20	M24	26
	300					
	600					
	900					
	1500					
P.N.	6	860mm	810mm	24	M24	26
	10	895mm	840mm	24	M27	30
	16	910mm	840mm	24	M33	36
	25					
	40					
	64					
	100					
	160					
	250					

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

30" (800mm NOMINAL BORE) 800mm PE



01706 85 33 22
sales@pipeline-plus.co.uk

Plus

9" (225mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	946	883	20	M24	26
	D	997	927	20	M27	30
	E	997	927	20	M27	30
	F	1016	940	28	M30	33
	H					
	J					
	K					
	R					
	S					
	T					
A.N.S.I.	125/150	1060	927	20	M30	33
	300					
	600					
	900					
	1500					
P.N.	6	975mm	920mm	24	M27	30
	10	1015mm	950mm	24	M30	33
	16	1025mm	950mm	24	M36	39
	25					
	40					
	64					
	100					
	160					
	250					

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

36" (900mm NOMINAL BORE) 900mm PE

36" (900mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	1105	1041	24	M24	26
	D	1175	1092	24	M30	33
	E	1175	1092	24	M30	33
	F	1187	1105	32	M33	36
	H					
	J					
	K					
	R					
	S					
	T					
A.N.S.I.	125/150	1168	1092	24	M30	33
	300					
	600					
	900					
	1500					
P.N.	6	1075mm	1020mm	24	M27	30
	10	1115mm	1050mm	28	M30	33
	16	1125mm	1050mm	28	M36	39
	25					
	40					
	64					
	100					
	160					
	250					

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

42" (1000mm NOMINAL BORE) 1000mm PE

42" (1000mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	1257	1194	28	M24	26
	D	1334	1251	28	M30	33
	E	1334	1251	28	M33	36
	F	1353	1270	36	M33	36
	H					
	J					
	K					
	R					
	S					
	T					
A.N.S.I.	125/150	1346	1251	28	M30	33
	300					
	600					
	900					
	1500					
P.N.	6	1175mm	1120mm	28	M27	30
	10	1230mm	1160mm	28	M33	36
	16	1255mm	1170mm	28	M39	42
	25					
	40					
	64					
	100					
	160					
	250					

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

48" (1200mm NOMINAL BORE) 1200mm PE

48" (1200mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	1416	1353	28	M24	26
	D	1492	1410	32	M30	33
	E	1492	1410	32	M33	36
	F	1530	1441	40	M36	39
	H					
	J					
	K					
	R					
	S					
	T					
A.N.S.I.	125/150	1499	1410	32	M30	33
	300					
	600					
	900					
	1500					
P.N.	6	1405mm	1340mm	32	M30	33
	10	1455mm	1380mm	32	M36	39
	16	1485mm	1390mm	32	M45	48
	25					
	40					
	64					
	100					
	160					
	250					

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.

54" (1400mm NOMINAL BORE) 1400mm PE

54" (1400mm NOMINAL BORE) FLANGE TABLE						
TYPE	TABLE	FLANGE O.D.	P.C.D.	NO. OF BOLTS	DIA OF BOLTS	DIA OF HOLES
B.S.	A	1607	1530	32	M30	33
	D	1607	1530	36	M30	33
	E					
	F					
	H					
	J					
	K					
	R					
	S					
	T					
A.N.S.I.	125/150					
	300					
	600					
	900					
	1500					
P.N.	6	1630mm	1560mm	36	M33	36
	10					
	16					
	25					
	40					
	64					
	100					
	160					
	250					

Disclaimer. The information contained in this data sheet is based on data we believe to be reliable and is given for information only and without guarantee and does not constitute a warranty. We always suggest that users satisfy themselves as to the suitability of the products and the data contained in this data sheet. The details in this data sheet can be subject to change without notice.