

Sustainable Timber Solutions

**PRODUCT CATALOGUE** 

# CONTENTS

- The Finewood Marketing Group 01
- Finewood Marketing UK Ltd Introduction 02
  - Products from Indonesia 03
  - Products from Malaysia 04
  - Products from South Africa & Ghana 06
    - Products from China 07
  - Green Tree Timber Ltd Introduction **08**
  - Green Tree Timber Ltd Our products 09
    - Glossary **11**
    - Useful links 11
    - Contact details 12





As a leading UK timber agent, Finewood Marketing UK Ltd specialise in container shipments and can offer a tailored range of services to suit your business, from design specification to inspection, shipment and delivery to customer premises.

Also part of the Finewood Marketing Group, Green Tree Timber Ltd holds a comprehensive range of stock for those with smaller volume requirements. From doors and lippings to glazing beads and veneer layons, Green Tree Timber Ltd can offer different finance options to suit your needs and budget along with a very competitive delivery service.



The Finewood Marketing Group is one the UK's leading independent timber agents and stockists, specialising in the supply of hardwood lippings, mouldings, veneers, plywood and doors.

With representatives in the UK, Malaysia, Indonesia, South Africa, Ghana, China and Spain, along with our many years of knowledge and experience allow the Finewood Marketing Group to offer you a complete service.







LARGE OR SMALL, YOUR REQUEST WILL BE MET WITH INDIVIDUAL ATTENTION, INNOVATIVE SOLUTIONS AND EXPERT ADVICE.

# FINEWOOD MARKETING UK LTD

### Introduction

Formed in 1993, Finewood Marketing UK Ltd are one of the UK's leading independent timber agents, serving importers and manufacturers in the UK and Europe. Representing leading manufacturers in Malaysia, China, Africa and Europe specialising in the supply of hardwood and softwood doors and door components, mouldings, decking, lippings, veneers, layons and joinery components in both standard designs and to buyers own specifications.

We have experienced local representatives in each main source area who ensure that our customers have access to the best manufacturers with a commitment to quality, service, value and reliability. Daily contact with our representatives and suppliers enables us to inform buyers of the latest market trends, potential supply chain issues and advise on new sources, products and production methods. We aim to develop long term partnerships between manufacturers and buyers by ensuring consistent quality, regularity of orders and price stability.

We offer a comprehensive sales service including contract negotiation, sampling, drawings, trials, designing, packaging, labeling and technical advice.

We have developed close contacts with the world's leading container transport companies. Where the buyer is responsible for transportation we can advise and organise all aspects of cost-effective sea freight, marine insurance, customs clearance, VAT duty deferment, inland haulage and container handling on their behalf.

Our dedicated and confidential finance service provides credit verifications, letters of credit, credit terms, foreign currency advice and bill discounting. These professionally delivered services underpin the relationships we foster between our customers and the manufacturers we represent.

# OUR ENVIRONMENTAL POLICY

Finewood Marketing UK Ltd are members of the UK Timber Trade Federation (TTF) and its Responsible Purchasing Policy (RPP), the Malaysian Wood Moulding & Joinery Council (MWMJC) and the Timber Research and Development Association (TRADA). In 2005 we achieved FSC® and PEFC Chain of Custody accreditation.

The policy of the company is to source product from manufacturers only using raw material from well managed production forest in accordance with the principals of sustained yield management, and to avoid trading in illegally harvested wood, wood harvested in violation of traditional and civil rights, wood harvested in forests where high conservation values are threatened by management activities, wood harvested in forests being converted to plantations or non-forest use and wood from forests including genetically modified trees.

We support FSC®, PEFC and other nationally acknowledged certification programmes and recognise them as truly independent forest certification systems.



PEFC









### **Panels**

All our panels are flat or raised and fielded profiled MDF with 0.6mm A Grade veneer Part L option available - Sandwich construction with insulated centre core material.

Typical specifications are 370 x 255 x 46mm, 520 x 255 x 46mm and 670 x 255 x 46mm, with a range of species available including Oak, Hemlock and Red Hardwood.



### Hardwood, Part L, Hemlock & Oak Doors

Doors can be sourced and manufactured specific to customer requirements in both common and bespoke patterns. Fire doors are also available in most patterns. Full or part container loads are available.

### Plywood

Internal & external plywood available with FSC certification in both full panel and doorskin sizes. Overlay grade plywood suitable for laminating also available with vinyl faces.





All our products sourced from Indonesia are SVLK certified, ensuring legality and traceability to verified point of origin, giving you reassurance that you are not purchasing products made from illegal timber.



### Door Lippings

All our lippings are supplied as A Grade hardwood, free of defects. Selected timbers available to match all commercial face veneers. Lippings are supplied fully machined to 900 square and specially kiln dried to 10-12% moisture content. Typical sizes range from 38mm to 60mm, with lengths ranging from 2m to 3m and thicknesses from 6mm up to 25mm. Manufacturing is supervised by our experienced senior representatives located in the main supply areas and sourced from specialist factories that we have worked with for over 20 years.





### Profile Mouldings

DIY decorative and construction clear grade hardwood mouldings in a range of species, available in white primed/ painted, veneer wrapped and finger-jointed options. We can supply skirting, architraves, door lining sets, Ovolo, Ogee and customers own profiles. Flooring, wall-panelling, dado rails, picture rails, beadings and PSE's in all sizes with ply-wrapping, shrink wrapping and labelling services at your request. Shipments in 20' and 40' containers and produced in the best equipped and most experienced moulding factories, quality checked by our own local staff.

### <u>Laminates</u>

Laminated scantlings, beams and components produced from Meranti, KSK or any other readily available hardwood species. Laminates can be manufactured as 3, 4 or 5 piece sections using a construction method of fingerjointed throughout, fingerjointed core with clear outers, or clear throughout. Laminates create a product that is more stable than solid construction and reduces the risk of bow, spring or warping, making them ideal for doorframe and window frame production.







### **Beading Products**

All our beading sets have the option of pre-finish and are available in a range of FD30, FD60 and Part L beads. We can supply a range of species to match commercial veneers and all our beading products can be ordered with matching door lippings in the same container. Typical beading product sizes include Window bead 14 x 19mm, Patio bead 12 x 18mm, FD30 bead 25 x 24mm and FD60 bead 29 x 29mm.

Available in a range of sizes.



### Decking

Available in Yellow Balau (Bangkirai) with both reversible reeded and smooth profile options. Alternative species include Merpauh, Kapur and Meranti.

### Veneered MDF

Available in Okoume and Sapele species, typical thickness 2.7mm MDF with a 0.3mm veneer, with 2050mm length and 830mm width. Widely used in the making of furniture and boat building.

**Door Frames** 



### Door Cores



## DOOR COMPONENTS

### <u>Door Frames</u>

Supplied pre straightened for accuracy and straightness and available in engineered, finger-jointed and solid. Including weather-strip and weather bar and machined to standard and bespoke profiles. Frames available with base coating and fitting, along with a choice of FD30 and FD60 firecheck. All our frames are end worked and ready for assembly and available in a range of species and colours.

### <u>Stiles</u>

Supplied pre straightened and multiripped for accuracy and straightness, with selected timbers available to match commercial veneer species. Engineered, finger-jointed and solid options available, with matching rails if required. Typical specifications include 29 x 30 x 2046mm, 33.7 x 30 x 1992mm, 38 x 38mm and 38 x 47mm.

### <u>Doorskins</u>

Available in Okoume, Illomba and Bintangor face veneers with poplar cores and a choice of interior or exterior glue.

### Door cores and Blanks

Door cores and blanks available in solid and composite plywood faced. Solid door cores are laminated and finger-jointed using Duralock 500 glue. Timber kiln dried to 10-12% moisture content with typical sizes ranging from 25mm thickness through to 42mm, width of 950mm and lengths from 1870mm to 2150mm. Composite plywood faced door cores are constructed in 3 layers of plywood and 2 layers of laminated and finger-jointed hardwood core. The glue used is waterproof quality as specified in JAS/DIN standards and sizes range from 42mm to 25mm thicknesses, 950mm width and 1870mm to 2150mm lengths.

05

# A F R I CA

## SOUTH AFRICA

### Layons

Door layons inlaid or standard with many design options available. Panel layons in faces and backs in all hardwood species, both tropical and temperate. Available with glue joints and both panel and door options, with the option of FSC Controlled Wood certification.

We supply component and architectural layons for the joinery and furniture industries, manufactured in one of the biggest jointing plants in the world.



### Veneers

We can supply sliced or peeled veneers in all tropical and temperate hardwood species from Africa, China and Europe. Rotary Gaboon available along with the option of FSC Controlled Wood certification. Inspections are carried out by our representatives in Africa and China.

Door, panel, long panel and special length specs available.

### GHANA

A number of species available from our Ghana manufacturers including Celtis (Strong light coloured structural wood), Wawa (light coloured versatile interior species, widely used), Denya (Very high strength and durability for arduous applications) and many more commercial species.

A wide range of products are available sourced from Ghana, including Lumber and Mouldings, Lippings, Stiles and Beads.

### Plywood

A full range of commercial plywood available including FSC certified.

B/BB EN636-2, EN314-2 and EUTR Compliant. Available in the following sizes: 2440 x 1220 x 3.6 mm, 5.5mm, 9mm ,12mm, 15mm, 18mm, 22mm and 25mm. FSC Certified Door Panel sizes also available in 2.7 to 6mm.



Oak & White Painted Doors

loads are available.

White Oak veneered and white

White Oak veneered and white painted doors including FD30 fire doors produced to customer specifi-cation. We can aid with design and construction advice before orders are placed. Full or part container





# GREEN TREE TIMBER LTD

Specialising in the supply of hardwood products to the joinery trade from our 50,000 square foot warehouse, we stock an extensive product range including door lippings in a variety of species, door and panel veneer layons in matching species, glazing beads, doorframes, high class oak doors, decking, door cores and cills.

We have long, established relationships with the best suppliers and experienced knowledgeable personnel who provide our buyers with expert technical assistance when required. This allows us to help you source the best species, specifications and prices for your requirements.

Green Tree Timber achieved FSC® & PEFC Chain of Custody accreditation in 2008, through the Timber Research and Development Association (TRADA).

The policy of the company is to source product from manufacturers only using raw material from well managed production forest in accord-ance with the principals of sustained yield management, and to avoid trading in illegally harvested wood, wood harvested in violation of traditional and civil rights, wood harvested in forests where high conservation values are threatened by management activities, wood harvested in forests being converted to plantations or non-forest use and wood from forests including genetically modified trees.

Green Tree Timber supports FSC®, PEFC, and other nationally acknowledged certification programmes and recognises them as truly independent forest certification\_systems.

### **OUR PRODUCTS**

### Doors and components

A range of popular white Oak veneered and white painted doors held as landed stock, including firedoors for immediate delivery to customer premises. Customer specific doors can also be held as buffer stock (subject to agreement).

We also hold stock of doorframes, porthole beads, FD30 beads, FD60 beads in a range of sizes.





### Decking

Our decking is available in Bangkirai (Yellow Balau) in both reversible reeded or smooth options.

Hard wearing, knot free and kiln dried with waxed ends. The reversible option allows the choice of large or small grooves and offers anti-slip properties.

### Lippings

Holding stock of 200,000 lippings in a range of alternative species to match Oak, ash, paint grade, walnut and beech in sizes ranging from 6 x38 to 22 x 60.

### Veneer Layons

Landed stock of Veneer layons covering Oak, ash, maple, beech, walnut, anegre, koto and sapele in a range of sizes. Inlayed veneer also available.





09



### Glossary

FSC – Forest Stewardship Council (scheme certifying sustainability and legality)

PEFC – Programme for Endorsement of Forest Certification (scheme certifying sustainability & legality)

MYTLAS - Your assurance of legal timber from Malaysia

SVLK - Timber Legality Verification System

Grades – The grade of the hardwood, available in 6 grades. Prime, select (SEL grade), standard (A grade), sound (C grade), serviceable (S grade) and utility (U grade)

FD30/FD60 –Certified for 30/60 minutes fire resistance capacity

Part L –Building Regulations for the Conservation of Fuel and Power

JAS/DIN Standard – Japanese Industrial Standard/German Institute for Standardisation

.....

### Useful Links

Finewood Marketing UK Ltd – www.finewoodmarketing.com Green Tree Timber Ltd – www.greentreetimber.com Forest Stewardship Council (FSC) – www.fsc.org Programme for the Endorsement of Forest Certification (PEFC) – www.pefc.org Timber Research and Development Association (TRADA) – www.trada.co.uk Timber Trade Federation (TTF) – www.ttf.co.uk Malaysian Timber Certification Council (MTCC) – www.mtcc.com.my

Malaysian Wood Moulding & Joinery Council (MWMJC) – www.mwmjc.com.my

11

### FINEWOOD MARKETING UK LTD

### Head Office

Maritime House Basin Road North Hove East Sussex BN41 1WR Telephone: 01273 729988 Email: info@finewoodmarketing.com Website: www.finewoodmarketing.com

### Northern Office

Units 1 & 9 North Magnet Business Park High Hazels Road Barlborough Chesterfield Derbyshire S43 4UZ Telephone: 01246 819888 Fax: 01246 811283 Email: info@finewoodmarketing.com Website: www.finewoodmarketing.com

Malaysia Office Nigel Haigh Telephone/Fax: 00 60 3 783 13995 Mobile: 00 60 12 308 7150 Email: kloffice@finewoodmarketing.com Website: www.finewoodmarketing.com

### GREEN TREE TIMBER LTD

Unit 9 North Magnet Business Park High Hazels Road Barlborough Chesterfield Cresterfield Derbyshire S43 4UZ Telephone: 01246 812777 Fax: 01246 811283 Email: andrewwalton@greentreetimber.com Website: www.greentreetimber.com





Final Print UK