


ACCESS CONTROL LTD

0844 351 0715

www.accesscontrollimited.co.uk



The Bradden

A gate with a bold straight top classic driveway gates.
Solid, built to deter any unwanted visitors.

- Handmade from a choice of Red Cedar, Douglas Fir or Scandinavian Redwood.
- Matching pedestrian side gate and smaller garden gate.
- All our Gates are suitable for automation
- *Please note each leaf is half the width of the stated size.
- Don't forget to allow for posts and tolerances when measuring for gates.

The Bradden Driveway Gates A straight or flat topped wooden gate, equally at home in a traditional, rural or contemporary urban setting. As drive way gates it's key features are privacy and security; the robust construction will certainly deter any unwanted visitors.

The Bradden's tongue and groove boards are set in a heavy duty wooden framework, ledged and braced with mortise and tenon joints.

Options available: -

Hardwood

Idigbo
Sapele
Iroko
Oak

Softwood

Redwood
Douglas Fir
Red Cedar

Sizes

Height

900mm
1200mm
1500mm
1800mm

Width

1830mm
2135mm
2440mm
2740mm
3050mm
3350mm
3660mm

ACCESS CONTROL LTD

0844 351 0715


www.accesscontrollimited.co.uk

The Cottesbrooke - metal infill bar

A classic gate style with a curved, swept top bar, and a palisade open top with metal infill bars.

The Cottesbrooke Driveway Gates have been designed with a distinctive curved top rail with a metal infill, perfectly in keeping with the country cottage look or even an established traditional town house.

The softwood tongue and groove boards are set in a heavy duty wooden framework, ledged and braced with mortise and tenon joints.



Options available: -

Hardwood

Idigbo
Sapele
Iroko
Oak

Softwood

Redwood
Douglas Fir
Red Cedar

Sizes

Height

1200mm
1500mm
1800mm

Width

1830mm
2135mm
2440mm
2740mm
3050mm
3350mm
3660mm

ACCESS CONTROL LTD

0844 351 0715

www.accesscontrollimited.co.uk


The Cottesbrooke Pale

A prestigious elegant entrance gate with a swept top bar, and a palisade open top.

- Handmade from a choice of hard and soft wood
- Ironmongery, accessories and stains available.
 - All our Gates are suitable for automation
 - *Please note each leaf is half the width of the stated size.
- Don't forget to allow for posts and tolerances when measuring for gates.

The Cottesbrooke Pale Driveway Gates, is one of our ranges most prestigious entrance gates which will complete any driveway. Equally at home in a rural or town drive setting, the key design feature is the elegant curved top rail with the clean lines of the bevelled palisade infills.

The tongue and groove boards are set in a heavy duty wooden framework, ledged and braced with mortise and tenon joints.



Options available: -

Hardwood

Idigbo
Sapele
Iroko
Oak

Softwood

Redwood
Douglas Fir
Red Cedar

Sizes

Height

1200mm
1500mm
1800mm

Width


1830mm
2135mm
2440mm
2740mm
3050mm
3350mm
3660mm



ACCESS CONTROL LTD

0844 351 0715

www.accesscontrollimited.co.uk



The Foxley

A traditional palisade, open paled wooden gate, ideal for open or exposed driveways.

- Handmade from a choice of hard and softwood.
- Also available as a matching pedestrian side gate and garden gate.
- Main frame work ex 115x75 (4.5 x 3) finished machined size 95x70mm
- Bracings ex 75x50 (3 x 2) finished machine size 70x50mm
- Tong and Groove ex 150x25 (6 x 1) finished machine size 125x16mm

The Foxley Driveway Gates open pales help reduce the effect of wind loading on the gate leaves. The Foxley gate is designed to complement palisade boundary fencing and gives a lower level of privacy whilst allowing some visibility through the open pales.

The vertical rails or palisades are set onto a heavy duty wooden framework, ledged and braced with mortise and tenon joints.

Options available: -

Hardwood

Idigbo

Sapele

Iroko

Oak

Softwood

Redwood

Douglas Fir

Red Cedar

Sizes

Height

900mm

1200mm

1500mm

1800mm

Width

1830mm

2135mm

2440mm

2740mm

3050mm

3350mm

3660mm

ACCESS CONTROL LTD

0844 351 0715

www.accesscontrollimited.co.uk

The Ashton

A classic gate style with clean lines and a palisade open top.

- Available in hard or soft wood
- Also available as a matching pedestrian side gate and garden gate.
- Ironmongery, accessories and stains available.
- Gates are suitable for automation

The tongue and groove boards are set in a heavy duty wooden framework, ledged and braced with mortise and tenon joints.

Gates are supplied with a preservative straw colour dip treatment as standard ready for you to stain or paint.

We recommend the use of SX70 wood stain or similar.

There is a wide choice of colours available in the SX70/AQ70 range including: - Teak, Red Cedar, Walnut, Mahogany, Light Oak, Mid Oak, Antique Pine, Pine, Black, Cream and White.



Options available: -

Hardwood

Idigbo
Sapele
Iroko
Oak

Softwood

Redwood
Douglas Fir
Red Cedar


Sizes

Height

900mm
1200mm
1500mm
1800mm

Width



1830mm
2135mm
2440mm
2740mm
3050mm
3350mm
3660mm



ACCESS CONTROL LTD

0844 351 0715

www.accesscontrollimited.co.uk




The Badby

A solid classic gate style with clean lines and an elegant hammered edge metal bar infill.

- Handmade from a choice of hard and soft wood.

The Badby Driveway Gates is a variation of the Ashton Style gate. It retains the classic shape with clean lines and straight top, but includes an elegant hammered edge, metal bar infill. The tongue and groove boards are set in a heavy duty wooden framework, ledged and braced with mortise, tenon & dowel joints.



Options available: -

Hardwood

Idigbo

Sapele

Iroko

Oak

Softwood

Redwood

Douglas Fir

Red Cedar

Sizes

Height

900mm

1200mm

1500mm

1800mm

Width

1830mm

2135mm

2440mm

2740mm

3050mm

3350mm

3660mm

ACCESS CONTROL LTD

0844 351 0715

www.accesscontrollimited.co.uk

The Holcot

A traditional flat edge gate, with flat top, no heads or heels, open top palisade with metal infills.

- Main frame work ex 115x75 (4.5 x 3) finished machined size 95x70mm
- Bracings ex 75x50 (3 x 2) finished machine size 70x50mm
- Tong and Groove ex 150x25 (6 x 1) finished machine size 125x16mm

The tongue and groove boards are set in a heavy duty wooden framework, ledged and braced with mortise and tenon joints.

Gates are supplied with a preservative straw colour dip treatment as standard ready for you to stain or paint. We recommend the use of SX70 wood stain or similar to protect your gates from the weather.

There are a wide choice of colours available in the SX70 range including: Teak, Red Cedar, Walnut, Mahogany, Light Oak, Mid Oak, Antique Pine, Pine, Black, Cream and White.



Options available: -

Hardwood

Idigbo

Sapele

Iroko

Oak

Softwood

Redwood

Douglas Fir

Red Cedar

Sizes

Height

900mm

1200mm

1500mm

1800mm

Width

1830mm

2135mm

2440mm

2740mm

3050mm

3350mm



3660mm



ACCESS CONTROL LTD

0844 351 0715

www.accesscontrollimited.co.uk




The Holdenby

- Main frame work ex 115x75 (4.5 x 3) finished machined size 95x70mm
- Bracings ex 75x50 (3 x 2) finished machine size 70x50mm
- Tong and Groove ex 150x25 (6 x 1) finished machine size 125x16mm

The Holdenby Driveway Gates are a beautifully styled entrance gate with the classic swan neck bowed top rail and adds style enhance any driveway, either in a town or village location. The key features here are elegant style; privacy and security with its robust solid wooden construction.

The tongue and groove boards are set in a heavy duty wooden framework, ledged and braced with mortise and tenon joints.



Options available: -

Hardwood

Idigbo

Sapele

Iroko

Oak

Softwood

Redwood

Douglas Fir

Red Cedar

Sizes

Height

900mm

1200mm

1500mm

1800mm

Width

1830mm

2135mm

2440mm

2740mm

3050mm

3350mm

3660mm

ACCESS CONTROL LTD

0844 351 0715

www.accesscontrollimited.co.uk




The Naseby a dignified classical wooden driveway gate with swept top style with graceful lines and a palisade or metal inserts

Suitable for any driveway, this is a dignified classical gate with swept top style with graceful lines and a palisade open top.

The tongue and groove boards are set in a heavy duty wooden framework, ledged and braced with mortise and tenon joints.

Gates are supplied with a preservative straw colour dip treatment as standard ready for you to stain or paint. We recommend the use of SX70 wood stain or similar to protect your gates from the weather.

There is a wide choice of colours available in the SX70 range including: Teak, Red Cedar, Walnut, Mahogany, Light Oak, Mid Oak, Antique Pine, Pine, Black, Cream and White.



Options available: -

Hardwood

Idigbo
Sapele
Iroko
Oak

Softwood

Redwood
Douglas Fir
Red Cedar

Sizes

Height

900mm
1200mm
1500mm
1800mm


Width

1830mm
2135mm
2440mm
2740mm
3050mm
3350mm
3660mm

ACCESS CONTROL LTD

0844 351 0715

www.accesscontrollimited.co.uk



The Pytchley

A solid wooden gate with a shaped top bar for a more modern feel. Swept inwards to the centre of the gates.

- Handmade from a choice of hard and soft wood
-
- Main frame work ex 100x75 (4x 3) finished machined size 95x70mm
- Bracings ex 75x50 (3x 2) finished machine size 70x50mm
- Tong and Groove ex 150x25 (6 x 1) finished machine size 125x16mm

The Pytchley Driveway Gates incorporates a wider solid top rail with a stylish scalloped design feature which adds a little more curb appeal to your gate entrance.

The standardised bracing design of the Pytchley allows it to be installed either with the scallop dipping down to the middle or, rising up from the side to give a flat section in the middle. Sometimes you can have it both ways.

The key features here are privacy and security with its robust construction certain to deter any unwanted visitors. The tongue and groove boards are set in a heavy duty wooden framework, ledged and braced with mortise and tenon joints.



Options available: -

Hardwood

Idigbo

Sapele

Iroko

Oak

Softwood

Redwood

Douglas Fir

Red Cedar

Sizes

Height

900mm

1200mm

1500mm

1800mm

Width

1830mm

2135mm

2440mm

2740mm

3050mm


3350mm

3660mm

ACCESS CONTROL LTD

0844 351 0715

www.accesscontrollimited.co.uk




The Stowe

A classic gate style with a raised and fielded panel feature.

- Main frame work ex 115x75 (4.5 x 3) finished machined size 95x70mm
- Bracings ex 75x50 (3 x 2) finished machine size 70x50mm
- Tong and Groove ex 150x25 (6 x 1) finished machine size 125x16mm

The Stowe Driveway Gates are handmade by skilled craftsmen The Stowe Driveway gate, is a raised and fielded panel gate.

Our Premier Gates are set in a heavy duty 95mm x 70mm (4in x 3in) framework for durability and can be made suitable for automation by selecting the solid bottom bar option.



Options available: -

Hardwood

Idigbo

Sapele

Iroko

Oak

Softwood

Redwood

Douglas Fir

Red Cedar

Sizes

Height

900mm

1200mm

1500mm

1800mm

Width

1830mm

2135mm

2440mm

2740mm

3050mm

3350mm

3660mm

ACCESS CONTROL LTD

0844 351 0715

www.accesscontrollimited.co.uk



The Whiston

with a distinctive wood bow shaped top rail with bevelled palisade infill.

- Preservative treated for longevity.

The Whiston Driveway Gates have been designed with a distinctive shaped top rail with a palisade infill, perfectly in keeping with the country cottage look or even an established traditional town house.



Options available: -

Hardwood

Idigbo
Sapele
Iroko
Oak

Softwood

Redwood
Douglas Fir
Red Cedar

Sizes

Height

900mm
1200mm
1500mm
1800mm

Width

1830mm
2135mm
2440mm
2740mm
3050mm
3350mm
3660mm

ACCESS CONTROL LTD

0844 351 0715

www.accesscontrollimited.co.uk




The Wilby

with a Scalloped design ideal for sloped driveways.

- Made from softwood and hardwood
- Preservative treated for longevity.

***The Wilby Driveway Gates** scalloped top rail sweeps downwards to the middle of the gate which makes it an attractive alternative to the Winwick or Holdenby styles.

Often chosen for driveways that slope upwards from the road, the scalloped top rail design provides a stylish look with a level of privacy without being over bearing.



Options available: -

Hardwood

Idigbo
Sapele
Iroko
Oak

Softwood

Redwood
Douglas Fir
Red Cedar

Sizes

Height

900mm
1200mm
1500mm
1800mm

Width

1830mm
2135mm
2440mm
2740mm
3050mm
3350mm
3660mm

ACCESS CONTROL LTD

0844 351 0715

www.accesscontrollimited.co.uk

The Winwick

A curved top rail, making them perfect for any setting.

- Made from a Choice of hard and soft wood.
- Sourced from sustainable and managed forests.
- Also available as a garden gate and/or as a pedestrian side gate.

The Winwick Driveway Gates are a charming gate with a handsome curved top rail and is perfect for any setting. Its key feature is the curved wood top rail which adds height in the centre and gracefully sweeps down to provide a little more privacy.

The softwood tongue and groove boards are set in a heavy duty wooden framework, ledged and braced with mortise and tenon joints.

Options available: -

Hardwood

Idigbo
Sapele
Iroko
Oak

Softwood

Redwood
Douglas Fir
Red Cedar



Sizes

Height

900mm
1200mm
1500mm
1800mm

Width

1830mm
2135mm
2440mm
2740mm
3050mm
3350mm
3660mm



Gate Treatments

Gates are supplied with a preservative straw colour dip treatment as standard ready for you to stain or paint. We recommend the use of SX70 wood stain or similar to protect your gates from the weather.

SX70

A high quality solvent based decorative and protective exterior quality wood stain, containing a flexible alkyd resin with water repellents that can also be used on internal timbers. Suitable for most types of soft and hardwood to give a decorative wood finish which is tough, durable, flexible and water resistant in all types of situations.

