



KMM Gmbh
Friedrichstr 92
68199 Mannheim
Fon 06214006461
Fax 062140068743
Email info@kmm-gruppe.de
www.kmm-gruppe.de

Export Distributer Price List

Product Codes

Case Code	Locking System	Handle Material	Handle Model	Finish	
XX: Body Type :F1 :F2 :S6 :M1/M2/M3 :R2 :R3 :M6	XX: Lock Body (Mortise) A1: ANSI A3: ANSI E2: EURO (DIN) E3: EURO (DIN) Fire Rated E4: EURO (DIN) Std Mortise E5: EURO (DIN) Silent Lock E6: EURO (DIN) Fire Rated_2 K5/6/7: Knob 50/60/70 mm L1: Security Lock	X: Material of the handle T: Stainless Steel Tube S: Stainless Steel Solid A: Aluminium Z: Zinc B: Brass	XX: A11: Delta (Default) A04 :Bravo A12: Seyhan A13: Dicle T01: Bora T02: Aksu XX: many models	SS: Satin SS304 SS316 : Satin 316 SC: Satin Chrome PC: Polish Crome SG: Satin Gold GP: Polish Gold PVD GP: PVD Polish Gold BR: Bronze Plated BR: Electro-Static Paint	Note 1: Std is SC for zinc bodies and SS for Stainless Steel Bodies. Different finish can cause longer delivery time for low quantity. Note 2: Please check the table in this list before ordering. Which body can match to which lock body.

Sample Coding: S6E2A11SS/ME means; S6 Case, E2 Mortise, A11 Handle, SS304 material with Mifare 13,56Mhz ME type PCB.

Ab Lager : Mannheim.



F01 Satin Body

Body Features:

- ✓ SS304 Stainless Steel Default outer body. SS316 option.
- ✓ Galvanized Steel Inner Body. SS304 Screws
- ✓ Black/White Top Plastic Color Options.
- ✓ Bended to Inside to make it extra strong
- ✓ Inner Protection Plate
- ✓ Extra Installation Plate to provide perfect installation
- ✓ In advantage of Installation plate fixing, body will never move in years
- ✓ Tech. of installation support very easy maintenance for technical service at side.
- ✓ Our tech. allow us to use the mortise very soft in all time. With advantage of is we give 3 years of warranty.
- ✓ Fix at once correctly than use for years.
- ✓ Mechanical Key Override.

Electronic Features:

- ~2 years battery life with 4xAA, 15months battery life with AAA Batteries.
- Mifare 13,56Mhz Technology
- Texas Instrument (US) MCU Inside.
- Original Philips NXP IC Inside
- Auto Click Type Cable connections. Never break out inside the door.
- 240 last opening record capacity. Hand Device not needed. Cost effective system. (Optional: 980logs)
- Multi-Language Software
- Hotel Logo (Custom) Printed Reader Plastic.
- No need to cut for PCB hole inside the door prevent the PCB damages while installation.

MODEL	Mortise	Mortise (Lock Body) Features				Battery Type	Motor	Weight	Packing pcs/ctn	Price €
		Min. Door Thickness	Min Mortise Depth	Handle Center	Mortise Thickness					
F1 E2	Euro	32mm	85mm	55mm	23mm	4xAA 4xAAA	In Mortise	2,50	8	148,00
F1 E4	TS EN 12209	30mm	66mm	40mm	22mm	4xAA	In Body	2,45	8	148,00
F1 E5	Euro Silent Lock	30mm	76mm	50mm	22mm	4xAA	In Body	2,30	8	144,00
F1 A3	ANSI	36mm	90mm	62mm	26mm	4xAA	In Mortise	2,55	8	148,00
F1 K	Knob	32mm	60-80mm	50-60-70mm	24mm	4xAA 4xAAA	In Body	1,85	8	146,00

- Check the extra costs for different finishes and other options.
- Default Handle is A11, Default Finish SS304 Scotch Finish.
- In case of high humidity the PCB will be covered with protection chemicals.

**Body Features:**

- ✓ SS304 Stainless Steel Default outer body. SS316 option.
- ✓ Galvanized Steel Inner Body. SS304 Screws
- ✓ Bended to Inside to make it extra strong
- ✓ Inner Protection Plate
- ✓ Extra Installation Plate to provide perfect installation
- ✓ In advantage of surface fixing, body will never move in years
- ✓ Tech. of installation support very easy maintenance for technical service at side.
- ✓ Our tech. allow us to use the mortise very soft in all time. With advantage of is we give 3 years of warranty.
- ✓ Fix at once correctly than use for years.
- ✓ Mechanical Key Override.

Electronic Features:

- ~2 years battery life with 4xAA and 15 months with AAA batteries
- Mifare 13,56Mhz Technology
- Texas Instrument (US) MCU Inside.
- Original Philips NXP IC Inside
- Auto Click Type Cable connections. Never break out inside the door.
- 240 last opening record capacity. Hand Device not needed. Cost effective system. (Optional: 980logs)
- Multi-Language Software
- Hotel Logo (Custom) Printed Reader Plastic.
- No need to cut for PCB hole inside the door prevent the PCB damages while installation.

F02 Satine Gold Body with A04 Handle

MODEL	Mortise (Lock Body) Features					Battery Type	Motor	Weight	Packing pcs/ctn	Price €
	Mortise	Min. Door Thickness	Min Mortise Depth	Handle Center	Mortise Thickness					
F2 E2	Euro	32mm	85mm	55mm	23mm	4xAA 4xAAA	In Mortise	2,50	8	144,00
F2 E4	TS EN 12209	30mm	66mm	40mm	22mm	4xAA	In Body	2,45	8	144,00
F2 E5	Euro Silent Lock	30mm	76mm	50mm	22mm	4xAA	In Body	2,30	8	140,00
F2 A3	ANSI	36mm	90mm	62mm	26mm	4xAA	In Mortise	2,55	8	144,00
F2 K	Knob	32mm	60-80mm	50-60-70mm	24mm	4xAA 4xAAA	In Body	1,90	8	142,00
F2 L1	Auto Locking High Security	42mm	110 mm	68 mm	28mm	4xAA 4xAAA	In Body	2,80	8	166,00

- Check the extra costs for different finishes and other options.
- Default Handle is All, Default Finish SS304 Scotch Finish
- In case of high humidity the PCB will be covered with protection chemicals.

**Body Features:**

- ✓ SS304 Stainless Steel Default outer body. SS316 option.
- ✓ Galvanized Steel Inner Body. SS304 Screws
- ✓ Solid Zinc Top/Bottom Cover.
- ✓ Inner Protection Plate
- ✓ Extra Installation Plate provide perfect fining on the door.
- ✓ In advantage of surface fixing, body will never move in years
- ✓ Tech. of installation support very easy maintenance for technical service at side.
- ✓ Our tech. allow us to use the mortise very soft in all time. With advantage of is we give 5 years of warranty.
- ✓ Fix at once correctly than use for years.
- ✓ Mechanical Key Override.
- ✓ Different Handle Options

Electronic Features:

- ~2 years battery life 4xAA
- Mifare 13,56Mhz Technology
- Texas Instrument (US) MCU Inside.
- Original Philips NXP IC Inside
- Auto Click Type Cable connections. Never break out inside the door.
- 240 last opening record capacity. Hand Device not needed. Cost effective system. (Optional 800 logs)
- Multi-Language Software
- Hotel Logo (Custom) Printed Reader Plastic.
- No need to cut for PCB hole inside the door prevent the PCB damages while installation.

S6 Scotch Finish Dicle (A12) Handle

MODEL	Mortise	Mortise (Lock Body) Features				Battery Type	Motor	Weight	Packing pcs/ctn	Price €
		Min. Door Thickness	Min Mortise Depth	Handle Center	Mortise Thickness					
S6 E2	Euro	32mm	85mm	55mm	23mm	4xAA	In Mortise	2,50	8	150,00
S6 E4	TS EN 12209	30mm	66mm	40mm	22mm	4xAA	In Body	2,45	8	150,00
S6 E5	Euro Silent Lock	30mm	76mm	50mm	22mm	4xAA	In Body	2,30	8	150,00
S6 A3	ANSI	36mm	90mm	62mm	26mm	4xAA	In Mortise	2,55	8	150,00
S6 L1	Auto Locking High Security	42mm	110 mm	68 mm	28mm	4xAA	In Body	2,80	8	166,00
S6 E3	Fire Rated	36mm	80mm	50mm	22mm	AxAA	In Body	2,60	8	240,00

- Check the extra costs for different finishes and other options.
- Default Handle Dicle (A13), Default Finish: Scotch SS304.

**Body Features:**

- ✓ SS304 Stainless Steel Default outer body.
- ✓ Galvanized Steel Inner Body. SS304 Screws
- ✓ Solid Zinc Top/Bottom Cover.
- ✓ Tech. of installation support very easy maintenance for technical service at side.
- ✓ Our tech. allow us to use the mortise very soft in all time. With advantage of is we give 3 years of warranty.
- ✓ Fix at once correctly than use for years.
- ✓ Mechanical Key Override.
- ✓ Many Handle Options

Electronic Features:

- ~2 years battery life. 4xAA
- Mifare 13,56Mhz Technology
- Texas Instrument (US) MCU Inside.
- Original Philips NXP IC Inside
- Auto Click Type Cable connections. Never break out inside the door.
- 240 last opening record capacity. Hand Device not needed. Cost effective system. (Optional 980Logs)
- Multi-Language Software
- No need to cut for PCB hole inside the door prevent the PCB damages while installation.

M1 Satin Body with T01 Handle

MODEL	Mortise (Lock Body) Features					Battery Type	Motor	Weight	Packing pcs/ctn	Price €
	Mortise	Min. Door Thickness	Min Mortise Depth	Handle Center	Mortise Thickness					
M1 A3	ANSI	36mm	90mm	62mm	26mm	4xAA	In Mortise	2,45	8	158,00

- Check the extra costs for different finishes and other options.
- Default Handle : T01 Bora, Default Finish: Scotch



M2 Satin Body with A11 Handle

Body Features:

- ✓ SS304 Stainless Steel Default outer body.
- ✓ Galvanized Steel Inner Body. SS304 Screws
- ✓ Solid Zinc Top/Bottom Cover.
- ✓ Tech. of installation support very easy maintenance for technical service at side.
- ✓ Our tech. allow us to use the mortise very soft in all time. With advantage of is we give 3 years of warranty.
- ✓ Fix at once correctly than use for years.
- ✓ Mechanical Key Override.
- ✓ Many Handle Options

Electronic Features:

- ~2 years battery life. 4xAA
- Mifare 13,56Mhz Technology
- Texas Instrument (US) MCU Inside.
- Original Philips NXP IC Inside
- Auto Click Type Cable connections. Never break out inside the door.
- 240 last opening record capacity. Hand Device not needed. Cost effective system. (Optional 980Logs)
- Multi-Language Software
- No need to cut for PCB hole inside the door prevent the PCB damages while installation.

MODEL	Mortise (Lock Body) Features					Battery Type	Motor	Weight	Packing pcs/ctn	Price €
	Mortise	Min. Door Thickness	Min Mortise Depth	Handle Center	Mortise Thickness					
M2 E2	Euro	32mm	85mm	55mm	23mm	4xAA	In Mortise	2,50	8	140,00
M2 E4	TS EN 12209	30mm	66mm	40mm	22mm	4xAA	In Body	2,45	8	140,00
M2 E5	Euro Silent Lock	30mm	76mm	50mm	22mm	4xAA	In Body	2,30	8	140,00
M2 A3	ANSI	36mm	90mm	62mm	26mm	4xAA	In Mortise	2,55	8	140,00
M2 L1	Auto Locking High Security	42mm	110 mm	68 mm	28mm	4xAA	In Body	2,80	8	162,00
M2 E3	Fire Rated	36mm	80mm	50mm	22mm	AxAA	In Body	2,60	8	240,00

- Check the extra costs for different finishes and other options.
- Default Handle : T01 Bora, Default Finish: Scotch

**Body Features:**

- ✓ SS304 Stainless Steel Default outer body.
- ✓ Galvanized Steel Inner Body. SS304 Screws
- ✓ Solid Zinc Top/Bottom Cover.
- ✓ Tech. of installation support very easy maintenance for technical service at side.
- ✓ Our tech. allow us to use the mortise very soft in all time. With advantage of is we give 3 years of warranty.
- ✓ Fix at once correctly than use for years.
- ✓ Mechanical Key Override.
- ✓ Many Handle Options

Electronic Features:

- ~2 years battery life. 4xAA
- Mifare 13,56Mhz Technology
- Texas Instrument (US) MCU Inside.
- Original Philips NXP IC Inside
- Auto Click Type Cable connections. Never break out inside the door.
- 240 last opening record capacity. Hand Device not needed. Cost effective system. (Optional 980Logs)
- Multi-Language Software
- No need to cut for PCB hole inside the door prevent the PCB damages while installation.

M2 Satin Body with A11 Handle

EXCELLENT CHOICE FOR RENOVATING YOUR OLD ELECTRONICS LOCK

MODEL	Mortise (Lock Body) Features					Battery Type	Motor	Weight	Packing pcs/ctn	Price €
	Mortise	Min. Door Thickness	Min Mortise Depth	Handle Center	Mortise Thickness					
M3 E2	Euro	32mm	85mm	55mm	23mm	4xAA	In Mortise	2,50	8	140,00
M3 E4	TS EN 12209	30mm	66mm	40mm	22mm	4xAA	In Body	2,45	8	140,00
M3 E5	Euro Silent Lock	30mm	76mm	50mm	22mm	4xAA	In Body	2,30	8	140,00
M3 A3	ANSI	36mm	90mm	62mm	26mm	4xAA	In Mortise	2,55	8	140,00
M3 L1	Auto Locking High Security	42mm	110 mm	68 mm	28mm	4xAA	In Body	2,80	8	162,00
M3 E3	Fire Rated	36mm	80mm	50mm	22mm	AxAA	In Body	2,60	8	240,00

- Check the extra costs for different finishes and other options.
- Default Handle : A11 Delta, Default Finish: Scotch
- For Renovation project , we can produce this model longer or in different handle center etc. The body thickness is 77mm to cover all other locks.



R2E2 Seyhan PCSN

R3E2 Meric SC

Body Features:

- ✓ Zinc Body. SS304 Screws
- ✓ Strong Chemical /PVD Coating
- ✓ EU Norm Mortise
- ✓ Inner Protection Plate
- ✓ Door handle installation plate supports the handle for long term usage.
- ✓ Handle fixing technology prevents the movement of the handle so provide very high mortise life and comfort.
- ✓ Fix at once correctly than use for years.
- ✓ Mechanical Key Override.
- ✓ Many Handle Options

Electronic Features:

- ~2 years battery life.4xAA
- Mifare 13,56Mhz Technology
- Texas Instrumnet (US) MCU Inside.
- Original Philips NXP IC Inside
- Auto Click Type Cable connections. Never break out inside the door.
- 240 last opening record capacity. Hand Device not needed. Cost effective system. (Optional: 800logs)
- Multi-Language Software
- Hotel Logo (Custom) Printed Reader Plastic.
- No need to cut for PCB hole inside the door prevent the PCB damages while installation.

MODEL	Mortise (Lock Body) Features					Battery Type	Motor	Weight	Packing pcs/ctn	Price €
	Mortise	Min. Door Thickness	Min Mortise Depth	Handle Center	Mortise Thickness					
R2 E2	Euro	32mm	85mm	55mm	23mm	4xAA	In Mortise	2,30	8	156,00
R2 A3	ANSI	36mm	90mm	62mm	26mm	4xAA	In Mortise	2,30	8	156,00

MODEL	Mortise (Lock Body) Features					Battery Type	Motor	Weight	Packing pcs/ctn	Price €
	Mortise	Min. Door Thickness	Min Mortise Depth	Handle Center	Mortise Thickness					
R3 E2	Euro	32mm	85mm	55mm	23mm	4xAA	In Mortise	2,25	8	156,00
R3 A3	ANSI	36mm	90mm	62mm	26mm	4xAA	In Mortise	2,25	8	156,00

- Check the extra costs for different finishes and other options.
- Hundreds of handle choice.
- No default handle, but prices are based on A11, A04 and A13. For different models price contact to your sales rep.

Body: M6

Mortises: A3

M6
Satin



Body, T01 Bora Handle

Body Features:

- ✓ Zinc Body.
- ✓ SS304 Strong Screws
- ✓ Monoblock Body
- ✓ ANSI Mortise
- ✓ Fix at once correctly than use for years.
- ✓ Mechanical Key Override.
- ✓ 3 years warranty
- ✓ Thin Body

Electronic Features:

- ~2 years battery life. 4xAA
- Mifare 13,56Mhz Technology
- Texas Instrument (US) MCU Inside.
- Original Philips NXP IC Inside
- Auto Click Type Cable connections. Never break out inside the door.
- 240 last opening record capacity. Hand Device not needed. Cost effective system. (Optional 980Logs)
- Multi-Language Software
- Hotel Logo (Custom) Printed Reader Plastic.

MODEL	Mortise	Mortise (Lock Body) Features				Battery Type	Motor	Weight	Packing pcs/ctn	Price €
		Min. Door Thickness	Min Mortise Depth	Handle Center	Mortise Thickness					
M1 A3	ANSI	36mm	90mm	62mm	26mm	4xAA	In Mortise	2,45	8	158,00

Finish / Color (Additional Costs) per lock

Finish	F1	F2	S6	M1/M6	R2/R3	M2/M3
Scotch Chrome	✓	✓	✓	✓	✓	✓
Polish Chrome	6€	6€	6€	X	✓	✓
Scotch Gold	12€	12€	12€	12€	20€	12€
Mirror Gold	16€	16€	16€	16€	20€	16€
Old Bronze	20€	16€	20€	16€	28€	16€
Copper	20€	16€	20€	16€	28€	16€
White / Black	6€	6€	X	X	6€	6€

Body / Mortise Application Table

M	F1	F2	S6	M1/M6	R2/R3	M2/M3
E2	✓	✓	✓	X	✓	✓
E3	X	X	✓	X	X	X
E4/E5	✓	✓	✓	X	X	✓
A1	✓	✓	✓	X	X	✓
A3	✓	✓	✓	✓	✓	✓
K	✓	✓	X	X	X	✓
L1	✓	✓	X	X	X	✓

RFID Hotel Key Cards

For each room 3pcs of cards inside the project price. Additional Card price is below

Pcs	100 – 499	500 – 999	1000 – 3999	4000 -
RFID Clear, White	2,00 €	1,80 €	1,40 €	1,30 €
RFID,Logo Printed	2,30 €	2,10 €	1,70 €	1,50 €

Installation Cost

Room Number	151-300	301 - 400	401 -
	800 €	1000 €	1400 €

* 2 way air ticket, visa and accomodation is not included.

* Installation vidoes are uploaded to Youtube channel.

Energy Saving Device

Pcs	0-50	101-200	201-300	301 - 400	401 -
TS30A1/ME	38,00 €	36,00 €	35,00 €	34,50 €	33,60 €
SM62A3/MF	98,00 €	84,00 €	80,00 €	75,00 €	74,00 €

Mechanical Door Handle and Lock Body for Bahtroom

Pcs	0-50	101-200	201-300	301 - 400	401 -
Aluminium	33,00 €	32,00 €	31,00 €	30,00 €	28,00 €
Stainless Steel	41,00 €	40,00 €	39,00 €	38,00 €	36,00 €

System:

Over 50 rooms , System is Free of Charge. System consist: 1 Pcs Encoder + 1 Pcs Log Unit + 1 Adet USB Dongle with Software Licence

Under 50 rooms the System cost is totaly \$600. System is: 1 Pcs Encoder + 1 Pcs Log Unit + 1 Adet USB Dongle with Software Licence

	Encoder	Log Unit	USB Dongle ve Licence	3rd Party Interface	Fidelio Interface	Renovation Plate	Elevator	Parking Reader
/ME Mifare	780 €	40 €	380 €	400 €	1400 €	12 €	400 €	400 €

OTHER PRODUCTS

- Electronic Hotel Type Safeboxes
- Electronics and Mechanical Home/Office Type Safeboxes
- Electronics and Mechanical Locking Mechanisms
- Protection Boxes with Coolers.
- Doorbell, Intelligent Room Numbers
- Electronics Cabinet Locks
- Portable Ironing Centers and Ironing Armatures.
- Push/Pull Bars and Kick Plates.
- Decoratif Napkin Holders and Hangers.