

A close-up photograph of a gas cutting torch in operation. The torch's nozzle is positioned against a thick, horizontal metal beam. A bright, intense flame is visible at the point of contact, and a massive, dense spray of bright orange and yellow sparks is being ejected downwards from the cut. The background is dark and out of focus, emphasizing the industrial action. The text "GAS EQUIPMENT" is overlaid in white, bold, sans-serif capital letters on the left side of the image.

# **GAS EQUIPMENT**




# CONTENTS

---

Straight-line cutter  
Pipe cutting machine  
Portable brazing kit  
Turbo Torch  
OPTIMATOR Range  
Gas Regulators  
High pressure, Pipeline regulators  
Flashback Arrestors, Minimig Accessories  
Cylinder Fittings, Outlet Valves  
Economisers, Flowmeters  
Cutting Torches, Circle Cutting Attachments  
Acetylene cutting & Gouging nozzles  
Propane cutting & Gouging nozzles  
Lightweight welding & Cutting  
Type 5 welding & Cutting  
Type 5 heating  
Propane heating & Accessories  
SIEVERT Heating torches  
Gas welding & Cutting kits  
Hose sets  
Hose clips, Hose connectors, Hose reels  
Brass hose fittings  
Combination spanners, Flint lighters, Tip cleaners  
Cylinder trolleys, Sack trucks  
Cylinder cages, Wall brackets  
Tempilstiks, Soapstone  
MARKAL Products  
Thermic lances & Lccessories

## Straight Line Cutter - TRAC CUT



### Specifications


- Cutting thickness - 200mm
- Cutting speed- 100 -800mm/min
- Motor - 110V
- Power source - AC 110V
- Weight - 10 Kgs
- Nozzle - ANML or PNML

**Part No: GAS0060 Straight Line Cutter - Trac-Cut C/W 1.8 Mtr Track**

## Straight line cutter - TRAC CUT Accessories



1.8 Mtr Spare Track  
**Part No: GAS0062**




Twin Torch Kit (Machine not included)  
**Part No: GAS0067**



# Weldgas PIPE CUTTING MACHINE

## Gas Pipe Cutting Machine



### Specifications

- Effective Pipe Diameter - 114 - 600mm
- Cutting Thickness - 0 - 50mm
- Cutting Shape - Bevel & Square up to 45°
- Drive System - Manual
- Weight - 8.5 Kgs
- Nozzle - ANML & PNML

Gas Pipe Cutting Machine C/W 2.4 Mtr Chain  
**Part No: GAS0065**

## Gas Pipe Cutting Machine Accessories



2.4 Mtr Spare Chain for Gas Pipe Cutting Machine  
**Part No: GAS0066**



## PERKEO® Power Gas Brazing Kit & Spares



Part No.	Item	Description
GAS1990		Perkeo® Powergas Brazing Kit Complete
GAS1991	1	Disposable Oxygen Cylinder
GAS1992	2	Disposable Mapp Gas Cylinder
GAS1993	3	Frame Only
GAS1994	4	1.5m Hose Package C/W Regulators & Torch
GAS1995	5	Perkeo® Oxygen Regulator
GAS1996	6	Perkeo® Mapp Gas Regulator
GAS1997	7	Neck
GAS1998/0	8	Nozzle Size 0 Tip
GAS1998/1	8	Nozzle Size 1 Tip
GAS1998/2	8	Nozzle Size 2 Tip
SAFE3303	9	Panorama Shaded Goggles - Shade 5
GAS5054	10	Cup Flint Lighter
GAS1999	11	Reducing Nipple MAP/PRO TO 7/16

# PORTABLE TORCH KIT

GAS EQUIPMENT

COMFORTABLE  
CARRYING HANDLE

EASILY STORE 2 GAS CYLINDERS

EASY STORAGE OF GAS HOSE

MULTIPLE STORAGE POCKETS

METAL SLEEVE FOR  
HOT TIP STORAGE

ADJUSTABLE SHOULDER STRAP

## PL-PT KIT (0386-1403)

### KIT INCLUDES:

- Durable Tool Bag
- MAP-Pro™ Propane T-4 Tip
- Ergonomic Torch Handle
- STK-R Regulator (CGA-600)
- 12 ft Hose
- Hose Clamp



CYLINDERS NOT INCLUDED



# Maximize your capabilities with a wide variety of TurboTorch® Accessories

**PL-3T**  
(0386-0821)



**PL-4T**  
(0386-0822)



**PL-5T**  
(0386-0823)



Tip No.	Tip Size		Air Propane	Air MAP-Pro™	Copper Tubing Size Capacity Propane Gas				Copper Tubing Size Capacity MAP-Pro Gas				Replacement		BTU
	IN	MM	@24 PSI LBS/HR	@42 PSI LBS/HR	Soft Solder		Silver Braze		Soft Solder		Silver Braze		Orifice Model	Tip Ends	
					IN	MM	IN	MM	IN	MM	IN	MM			
PL-3T	3/8	9.5	.33	.46	1/4-1	6-25	1/8-1/2	3-10	1/4-1 1/2	10-40	1/4-1/2	6-15	OR-T-3	3T-TE	1,300
PL-4T	7/16	11.1	.52	.691	1/4-1 1/2	10-40	1/4-3/4	6-15	1/4-2 1/2	10-60	1/4-1 1/4	6-35	OR-PL4T	4T-TE	1,400
PL-5T	5/8	15.9	.71	1.41	1 1/2-2 1/2	40-60	1/2-1 1/4	15-35	1-4	25-100	1/2-2	15-50	OR-PL5T	5T-TE	2,000

**T-2**  
(0386-0150)



**T-3**  
(0386-0151)



**T-4**  
(0386-0152)



**T-5**  
(0386-0153)



Tip No.	Tip Size		Gas Flow		Copper Tubing Size Capacity Propane Gas				Copper Tubing Size Capacity MAP-Pro Gas Dim. de Capacité de Tubage de Cuivre Gas Map-Pro Capacidad de Tubo de Cobre con Gas Map-Pro				Replacement Orifice Model	
	IN	MM	@24 PSI LBS/HR	@42 PSI LBS/HR	Soft Solder		Silver Braze		Soft Solder		Silver Braze			
					IN	MM	IN	MM	IN	MM	IN	MM		
T-2	5/16	8.0	.14	.17	1/8-1/4	3-10	1/16-1/4	1-6	1/8-1/2	3-12	1/8-1/4	3-10	OR-A2	0386-1000
T-3	7/16	11.1	.20	.25	1/4-1	6-25	1/8-1/2	3-10	1/4-1 1/2	10-40	1/4-1/2	6-15	OR-T3	0386-10210
T-4	1/2	12.7	.39	.48	1/4-1 1/2	10-40	1/4-3/4	6-15	1/4-2 1/2	10-60	1/4-1 1/4	6-35	OR-A3	0386-1001
T-5	3/4	19.0	1.10	1.3	1 1/2-2 1/2	25-60	1/2-1 1/4	15-35	1-4	25-100	1/2-2	15-50	OR-A8	0386-1003



Turbo Torch  
Part No. TX-504



Disposable Mapp Gas  
Cylinder  
Part No. GAS1992



## WELDFAST UK LTD

Weldfast UK can now proudly boast a complete and comprehensive range of UK tested gas equipment.


We are continually striving to re-design, re-develop and QA test a range of equipment that offers built-to-last performance, while always keeping the user's safety at the forefront of our efforts.

All products use the latest technology available, and with over 40 years' experience in this field, our UL and Intertek listed factory combined with our extensive knowledge and knowhow give us a real advantage in this ever-changing industry.

Our equipment is fully compliant with all relevant UK standards and now our in-house test facility ensures that all quality control procedures are realised. Strict tests on all the equipment is rigorously undertaken prior to dispatch.

Our test facility gives us 400 bar of high purity breathing quality air to test all regulators up to an outlet pressure of 300 bar, this in turn, provides us with the ability to pressure, flow test and monitor creep, lock up, pressure drop and check for gauge accuracy. We can also offer any special requirements that you have with a full complement of components available from stock.

All the master test equipment is tested on a 6-monthly basis including an air quality test to ensure that no impurities enter the equipment at the time of testing. To complement our commitment to gas safety all our range of gas regulators have been successfully ignition tested by a European institute to ensure the materials used comply with current UK and European standards.





# Save 43% gas with Optimator !

**“In just a few months, you will get the money you invested in Optimator® back. After that it's all profit!”**

If you work with welding, you're sure to know the cost of welding wire per kilo. But do you know what shielding gas costs per meter of weld? It costs at least as much as the wire. If you invest in Optimator® you will get a unique regulator and at the same time reduce your shielding gas consumption by up to 50%. An investment that pays off in less than six months – the rest is profit!

## **Quality that saves money**

Every time you start a traditional regulator, a large amount of gas is lost to no avail. Optimator has an optimum start flow that is just a quarter of a traditional regulator, right from the first second. This unique two-stage reduction valve has been developed for qualified shielding gas

welding. The extremely pressure sensitive second stage greatly reduces the gas surge that normally occurs at start-up. This saves large amounts of shielding gas. Up to 50% with normal welding.

The even start flow also provides a higher quality weld since you avoid the turbulence that can disturb the welding process. The risk for pores in the welded joint is minimised.



## **Quality and the environment**

Optimator is also available in a lockable version for exact gas flow.

A real advantage if you wish to ensure the highest and most even welding quality, e.g. with ISO 9000 certification. Using Optimator you can produce up to 50% more welded joints

with the same amount of gas. This has economic effects for the environment as well, with a reduction in the need for gas

transport.

# The Optimator® range

## Optimizer®

Optimizer is a two-stage regulator for qualified shield- ing gas welding. The extremely pressure sensitive second stage greatly reduces the gas surge that normally occurs at start-up of gas-arc welding. This reduction means that with normal welding, you can reduce your gas consumption by up to 50%. Lower gas consumption also means less time changing cylinders, which increases the effective production time for welding. In addition, you get a higher quality weld, since the risk for pores is less.

The two-stage principle of the Optimator ensures that the gas flow is very accurately regulated and is kept constant even when the pressure in the cylinder drops.

Supplied with hose connections for 5.0 and 6.3 mm internal hose diameters.



## Optimizer® II

Optimizer II is a special version with an extra gas outlet for backing gas. This reduction valve is primarily used for weld- ing where one wishes to take both the shielding gas and the backing gas from the same cylinder. The same savings for shielding gas are obtained as with Optimator.

The advantage with the extra gas outlet is that one does not need to change gas cylinders so often. The welding gas and backing gas can be adjusted separately in this solution.

Supplied with hose connections for 5.0 and 6.3 mm internal hose diameters.







## Lockable


All models of Optimator are available in a lockable version for exact gas flow. A real advantage if you wish to ensure the highest and most even welding quality, e.g. with ISO 9000 certification.



## Outlet points

Our range includes outlet points for acetylene/oxygen and shielding gases. Outlet points that are included in the Optimator program are fitted with GasiQ's unique gas saver function, which reduces your welding costs. The points are available as complete units or for assembly on the shut-off valve of existing outlet points. Also available as a lockable version.


For more information about central gas systems, please contact your closest GasiQ gas equipment authorised retailer.



## Built-in solution

There is a special built-in version of Optimator for situations where you wish to use a normal regulator or outlet point in order to add the gas-saver function to a welding machine or intermediate feeder unit. This is a good alternative if you use really long hoses.

Also fits AGA's Nemo or Air Liquides ALTOP (with quick-connectors).



0-25 L/MIN Flowmeter  
Argon/Co2 Regulator  
**Part No: GAS0017**



Single stage 1G Preset Argon/  
Co2 Regulator 2 Bar  
**Part No: GAS0025**



Single stage 1G Argon/Co2  
Regulator 10 Bar  
**Part No: GAS0010**



Single stage 2G Argon/Co2  
Regulator 35 LPM  
**Part No: GAS0001**



Single stage 2G Argon/Co2  
Regulator 10 Bar  
**Part No: GAS0005**



Single stage 2G Side Entry  
Argon/Co2 Regulator 35 LPM  
**Part No: GAS0011**



Single stage Plugged Acetylene  
Regulator 1.5 Bar  
**Part No: GAS0009**



Single stage 2G Acetylene  
Regulator 1.5 Bar  
**Part No: GAS0003**



Single stage 2G Side Entry  
Acetylene Regulator 1.5 Bar  
**Part No: GAS0013**



Single stage Plugged Propane  
Regulator 4 Bar  
**Part No: GAS0007**



Single stage 2G Side Entry  
Propane Regulator 4 Bar  
**Part No: GAS0018**





Single stage Plugged Oxygen  
Regulator 10 Bar  
**Part No: GAS0008**




Single stage 2G Oxygen  
Regulator 4 Bar  
**Part No: GAS0016**



Single stage 2G Oxygen  
Regulator 10 Bar  
**Part No: GAS0002**



Single stage 2G Side Entry  
Oxygen Regulator 10 Bar  
**Part No: GAS0012**



Single stage 2G Co2 Regulator  
10 Bar (Female Fitting)  
**Part No: GAS0004**



Single stage 2G Side Entry Co2  
Regulator 10 Bar (Female Fitting)  
**Part No: GAS0014**



Single stage 2G Nitrogen  
Regulator 10 Bar  
**Part No: GAS0006**



Single stage 2G Side Entry  
Nitrogen Regulator 10 Bar  
**Part No: GAS0015**

# **Weldgas PREMIUM REGULATORS**



Single stage 1G Preset  
Argon/Co2 Regulator 2 Bar  
**Part No: GAS1030**



Single stage 2G Argon/Co2  
Regulator 35 LPM  
**Part No: GAS1027**



Single stage 2G Argon/Co2  
Regulator 10 Bar  
**Part No: GAS1028**



Single stage 2G Side Entry  
Argon/Co2 Regulator 35 LPM  
**Part No: GAS1037**



Single stage 2G Side Entry  
Argon Regulator 10 Bar  
**Part No: GAS1036**



Multi stage 2G Argon/Co2  
Regulator 35 LPM  
**Part No: GAS0020**



Multi stage 2G Argon/Co2  
Regulator 10 Bar  
**Part No: GAS0021**



Nevoc Fitting Single stage 2G  
Side Entry Argon/Co2 Regulator  
35 LPM  
**Part No: GAS1038**



Nevoc Fitting Single stage 2G  
Side Entry Argon/Co2 Regulator  
10 Bar  
**Part No: GAS1039**



# **Weldgas PREMIUM REGULATORS**



Single stage Plugged  
Oxygen Regulator 10 Bar  
**Part No: GAS1021**



Single stage 2G  
Oxygen Regulator 10 Bar  
**Part No: GAS1025**



Single stage 2G  
Oxygen Regulator 4 Bar  
**Part No: GAS1024**



Single stage 2G Side Entry  
Oxygen Regulator 10 Bar  
**Part No: GAS1032**



Single stage 2G Side Entry  
Oxygen Regulator 4 Bar  
**Part No: GAS1031**



Multi stage 2G Oxygen  
Regulator 10 Bar  
**Part No: GAS0022**



Multi stage 2G Side Entry  
Oxygen Regulator 10 Bar  
**Part No: GAS0027**



Single stage Plugged Acetylene  
Regulator 1.5 Bar  
**Part No: GAS1023**



Single stage 2G Acetylene  
Regulator 1.5 Bar  
**Part No: GAS1026**



Single stage 2G Side Entry  
Acetylene Regulator 1.5 Bar  
**Part No: GAS1033**



Multi stage 2G Acetylene  
Regulator 1.5 Bar  
**Part No: GAS0023**



Multi stage 2G Side Entry  
Acetylene Regulator 1.5 Bar  
**Part No: GAS0026**

# **Weldgas PREMIUM REGULATORS**



Single stage Plugged  
Propane Regulator 4 Bar  
**Part No: GAS1022**



Single stage 2G Side Entry  
Propane Regulator 4 Bar  
**Part No: GAS1034**



Multi stage 2G Propane  
Regulator 4 Bar  
**Part No: GAS1043**



Single stage 2G Co2 Regulator  
10 Bar (Female Fitting)  
**Part No: GAS1029**



Single stage 2G Side Entry Co2  
Regulator 4 Bar (Female Fitting)  
**Part No: GAS1035**



Multi stage 2G Nitrogen  
Regulator 10 Bar  
**Part No: GAS1044**



Multi stage 2G Hydrogen  
Regulator 10 Bar  
**Part No: GAS1045**



Co2 Heater/ Regulator  
**110V-Part No: GAS1105**  
**230V- Part No. GAS1106**





Part No.	Description
GAS1100	Single stage 2G High Pressure Inert Regulator 28 Bar Outlet 300 Bar Inlet 3/8 BSP RH Outlet
GAS1101	Single stage 2G High Pressure Inert Regulator 40 Bar Outlet 300 Bar Inlet 3/8 BSP RH Outlet
GAS1109	Single stage 2G High Pressure Inert Regulator 55 Bar Outlet 300 Bar Inlet 3/8 BSP RH Outlet
GAS1102	Single stage 2G High Pressure Inert Regulator 100 Bar Outlet 300 Bar Inlet 3/8 BSP RH Outlet
GAS1103	Single stage 2G High Pressure Inert Regulator 200 Bar Outlet 300 Bar Inlet 3/8 BSP RH Outlet
GAS1104	Single stage 2G Side Entry High Pressure Oxygen Regulator 28 Bar Outlet 300 Bar Inlet 3/8 BSP RH Outlet
GAS1107	Single stage 2G Side Entry High Pressure Oxygen Regulator 40 Bar Outlet 300 Bar Inlet 3/8 BSP RH Outlet
GAS1108	Single stage 2G Side Entry High Pressure Oxygen Regulator 55 Bar Outlet 300 Bar Inlet 3/8 BSP RH Outlet

\*Other outlets available upon request.

## Pipeline Regulators

Part No.	Description
GAS1065	Oxygen 0-12 bar outlet 60 bar inlet 6 o'clock 3/8 BSP RH outlet 1/4 NPT Inlet connection rear entry
GAS1056	Oxygen 0-12 bar outlet 60 bar inlet 6 o'clock 3/8 BSP RH outlet 3/8 BSP RH inlet connection rear entry

Part No.	Description
GAS1068	Inert gas 0-12 bar outlet 60 bar inlet 3 o'clock 3/8 BSP RH outlet 1/4 NPT Inlet connection rear entry *
GAS1060	Inert gas 0-12 bar outlet 60 bar inlet 3 o'clock 3/8 BSP RH outlet 3/8 BSP RH Inlet connection rear entry *

\*6 O'clock outlet available upon request.

Part No.	Description
GAS1067	Acetylene 0-1.5 bar outlet 25 bar inlet 6 o'clock 3/8 BSP LH outlet 1/4 NPT Inlet connection rear entry
GAS1062	Acetylene 0-1.5 bar outlet 25 bar inlet 6 o'clock 3/8 BSP LH outlet 3/8 BSP LH Inlet connection rear entry

Part No.	Description
GAS1066	Propane 0-4 bar outlet 25 bar inlet 6 o'clock 3/8 BSP LH outlet 1/4 NPT Inlet connection rear entry
GAS1058	Propane 0-4 bar outlet 25 bar inlet 6 o'clock 3/8 BSP LH outlet 3/8 BSP LH Inlet connection rear entry





Oxygen  
Flashback Arrestor  
Part No: **GAS1015**




Fuel Gas  
Flashback Arrestor  
Part No: **GAS1016**



Oxygen Resettable  
Flashback Arrestor  
Part No: **GAS1017**



Fuel Gas Resettable  
Flashback Arrestor  
Part No: **GAS1018**



Oxygen Flashback Arrestor  
6-10mm tail  
Part No: **GAS1075**



Fuel Gas Flashback Arrestor  
6-10mm tail  
Part No: **GAS1076**


## Mini MIG Accessories



Mini MIG Gas Regulator  
Part No: **GAS0050**



Mini MIG Gas Regulator  
Part No: **GAS0050**



Mini MIG Adaptor  
Part No: **GAS0051**



Mini MIG Gas Adaptor  
C/W 1.5 Mtr Hose  
Part No: **GAS0052**



Disposable Co2 Cylinder  
Part No: **GAS0030**




Disposable Argon Cylinder  
Part No: **GAS0031**



Disposable Argon/ Co2 Cylinder  
Part No: **GAS0032**




## Cylinder Fittings




RH 180° Cylinder Extension  
Part No: **GAS1001**



LH 180° Cylinder Extension  
Part No: **GAS1002**



LH 90° Cylinder Extension  
Part No: **GAS1004**



RH 90° Cylinder Extension  
Part No: **GAS1003**



CO2 To Argon Adaptor  
Part No: **GAS1005**



Argon To CO2 Adaptor  
Part No: **GAS1019**



Propane Regulator Adaptor  
Male/Female  
Part No: **GAS1020**




RH Cylinder Nut  
5/8" BSP  
Part No: **GAS1013**




LH Cylinder Nut  
5/8" BSP  
Part No: **GAS1014**


## Outlet Valves




RH Twin Outlet Valve  
Part No: **GAS1006**



LH Twin Outlet Valve  
Part No: **GAS1007**



RH 3/8 BSP Male/Female  
Single outlet Valve  
Part No: **GAS0999**



LH 3/8 BSP Male/Female  
Single outlet Valve  
Part No: **GAS1000**

## Economisers



Argon economiser  
Part No: GAS1008



Oxygen/ Acetylene Economiser  
Part No: GAS1009



Oxygen/ Propane Economiser  
Part No: GAS5046



Premium  
Oxygen/ Acetylene Economiser  
Part No: GAS1063



Premium  
Oxygen/ Propane Economiser  
Part No: GAS1064

## Flowmeters




Argon Flowmeter 0-14 LPM  
Part No: GAS1011



Argon Flowmeter 0-40 LPM  
Part No: GAS1010



Gas Flow Tester  
Part No: GAS1012




18/90 ECO Cutting Torch - NM250  
Part No: GAS2005



## Premium Cutting Torches

Part No.	Description
GAS2005P	18/90 Cutting Torch -NM250
GAS2006	27/75 Cutting Torch - NM400
GAS2008	36/75 Cutting Torch - NM500
GAS2010	48/75 Cutting Torch - NM600
GAS2019	60/75 Cutting Torch
GAS2000	72/75 Cutting Torch

Part No.	Description
GAS2007	27/180 Cutting Torch - NM400
GAS2009	36/180 Cutting Torch - NM500
GAS2011	48/180 Cutting Torch - NM600
GAS2004	72/180 Cutting Torch



Small Circle Cutting Attachment  
Part No: GAS2001



Large Circle Cutting Attachment  
Part No: GAS2002



NM Headnut  
Part No: GAS2003

## Injector Cutting Torches (LPG)



Part No.	Description
GAS2040	500mm x 90°
GAS2041	835mm x 90°
GAS2042	835mm x 70°
GAS2043	Injector Headnut



WG-142 Type Injector Torch  
Part No: GAS1110



## ANMS Cutting Nozzles

Part No.	Type	Cutting Capacity
GAS2070	ANMS 1/32"	3- 6mm
GAS2071	ANMS 3/64"	5- 12mm
GAS2072	ANMS 1/16"	10- 75mm
GAS2073	ANMS 5/64"	70- 100mm
GAS2075	ANMS 3/32"	90- 150mm
GAS2074	ANMS 7/64"	140- 200mm
GAS2076	ANMS 1/8"	190- 300mm



## ANML Cutting Nozzles

Part No.	Type	Cutting Capacity
GAS2078	ANML 1/32"	3- 6mm
GAS2079	ANML 3/64"	5- 12mm
GAS2080	ANML 1/16"	10- 75mm
GAS2081	ANML 5/64"	70- 100mm
GAS2082	ANML 3/32"	90- 150mm
GAS2083	ANML 7/64"	140- 200mm
GAS2084	ANML 1/8"	190- 300mm



## ASNM Nozzles - Sheet Metal

Part No.	Type	Cutting Capacity
GAS2088	ASNM Sheet Metal Nozzle	1- 3mm



## AFN Nozzles

Part No.	Type	Cutting Capacity
GAS2035	AFN 1/32"	3- 6mm
GAS2036	AFN 3/64"	6- 20mm
GAS2037	AFN 1/16"	20- 30mm
GAS2038	ASFN	0-3mm



## AGNM Gouging Nozzles

Part No.	Type	Cutting Capacity
GAS2085	AGNM No.13 Nozzle 1/8"	6-8mm Width x 3-9mm Depth
GAS2086	AGNM No.19 Nozzle 3/16"	8-11mm Width x 6-11mm Depth
GAS2087	AGNM No.25 Nozzle 1/4"	9-12mm Width x 9-12mm Depth



## Blanking Nozzles

Part No.	Description
GAS3049	ANM Nozzle
GAS3050	AFN Nozzle
GAS3051	Light Weight Swazed Nozzle
GAS3052	Type 3 -5 Swazed Nozzle

# **Weldgas** PROPANE CUTTING NOZZLES

## PNMS-18 Cutting Nozzles

Part No.	Type	Cutting Capacity
GAS2090	PNMS 1/32"	3- 6mm
GAS2091	PNMS 3/64"	5- 12mm
GAS2092	PNMS 1/16"	10- 75mm
GAS2093	PNMS 5/64"	70- 100mm
GAS2094	PNMS 3/32"	90- 150mm
GAS2095	PNMS 7/64"	140- 200mm
GAS2096	PNMS 1/8"	190- 300mm




## PNML-18 Cutting Nozzles

Part No.	Type	Cutting Capacity
GAS2120	PNML 1/32"	3- 6mm
GAS2121	PNML 3/64"	5- 12mm
GAS2122	PNML 1/16"	10- 75mm
GAS2123	PNML 5/64"	70- 100mm
GAS2124	PNML 3/32"	90- 150mm
GAS2125	PNML 7/64"	140- 200mm
GAS2126	PNML 1/8"	190- 300mm



## PNMS- 9 Cutting Nozzles

Part No.	Type	Cutting Capacity
GAS3037	PNMS 1/32"	3- 6mm
GAS3038	PNMS 3/64"	5- 12mm
GAS3039	PNMS 1/16"	10- 75mm
GAS3040	PNMS 5/64"	70- 100mm
GAS3042	PNMS 3/32"	90- 150mm
GAS3041	PNMS 1/8"	190-300mm



## VVC Nozzles - Chrome Plated

Part No.	Type	Cutting Capacity
GAS2130	VVC 5/0	1- 4mm
GAS2131	VVC 4/0	4- 6mm
GAS2132	VVC 3/0	6- 9mm
GAS2133	VVC 00	9- 12mm
GAS2134	VVC 0	12- 20mm
GAS2135	VVC 0½	20- 35mm
GAS2136	VVC 1	35- 60mm
GAS2137	VVC 1½	60- 75mm
GAS2138	VVC 2	75- 125mm
GAS2139	VVC 2 ½	125- 150mm
GAS2140	VVC 3	150- 175mm
GAS2141	VVC 4	175- 200mm
GAS2142	VVC 5	200- 225mm
GAS2143	VVC 5 ½	225- 250mm



## NFF Type Cutting Nozzles

Part No.	Type	Cutting Capacity
GAS5140	1 NFF	6 - 25mm
GAS5141	2 NFF	25 - 50mm
GAS5142	3 NFF	50 - 75mm
GAS5143	4 NFF	75 - 150mm
GAS5144	5 NFF	150 - 200mm
GAS5145	6 NFF	200 - 300mm



## PGNM Gouging Nozzles

Part No.	Type	Cutting Capacity
GAS5130	PGNM Size 1	3 x 6mm
GAS5131	PGNM Size 2	5 x 9mm
GAS5132	PGNM Size 3	6 x 12mm
GAS5133	PGNM Size 4	10 x 16mm




## GG Type Gouging Nozzles

Part No.	Type	Cutting Capacity
GAS5134	1 GG	3 x 6mm
GAS5135	2 GG	5 x 10mm
GAS5136	3 GG	6 x 13mm
GAS5137	4 GG	10 x 19mm






## Lightweight Welding




Part No.		Description
GAS2020	1	Lightweight Shank
GAS2022	2	Lightweight Mixer
GAS2025	3	Lightweight No.1 Swaged Nozzle
GAS2026	3	Lightweight No.2 Swaged Nozzle
GAS2027	3	Lightweight No.3 Swaged Nozzle
GAS2028	3	Lightweight No.5 Swaged Nozzle
GAS2029	3	Lightweight No.7 Swaged Nozzle
GAS2030	3	Lightweight No.10 Swaged Nozzle
GAS2031	3	Lightweight No.13 Swaged Nozzle
GAS2032	3	Lightweight No.18 Swaged Nozzle
GAS2033	3	Lightweight No.25 Swaged Nozzle

## DH Lightweight welding



Part No.		Description
GAS2020	1	Lightweight Shank
GAS2022	2	Lightweight Mixer
GAS2100	3	DH Neck
GAS2101	4	DH No.1 Nozzle
GAS2102	4	DH No.2 Nozzle
GAS2103	4	DH No.3 Nozzle
GAS2104	4	DH No.5 Nozzle
GAS2105	4	DH No.7 Nozzle
GAS2106	4	DH No.10 Nozzle
GAS2107	4	DH No.13 Nozzle
GAS2108	4	DH No.18 Nozzle
GAS2109	4	DH No.25 Nozzle

## Lightweight Cutting



Part No.		Description
GAS2020	1	Lightweight Shank
GAS2021	2	Lightweight Cutting Attachment
GAS2035	3	AFN 1/32" Nozzle (3-6mm)
GAS2036	4	AFN 3/64" Nozzle (6-20mm)
GAS2037	5	AFN 1/16" Nozzle (20-30mm)
GAS2038	6	ASFN Nozzle (0-3mm sheet metal)

## Model 'O' Kit



Part No.	Description
GAS2012	Model 'O' Kit C/W 5 Tips
GAS2013	Model 'O' Tip No.1
GAS2014	Model 'O' Tip No.2
GAS2015	Model 'O' Tip No.3
GAS2016	Model 'O' Tip No.4
GAS2017	Model 'O' Tip No.5
GAS2018	Model 'O' Neck


- Ideally suited for fine welding, brazing and soldering applications.
- Used in a variety of precise applications such as Lead burning, medical, jewellery, dental and electronics.
- Equally suited for used with propane, acetylene or hydrogen fuel gases.
- Welding capabilities 0-1.5mm.

## Type 5 Welding



Part No.		Description
GAS2049	1	Type 5 Shank
GAS2051	2	Type 5 Welding Mixer
GAS2055	3	Type 5 No.1 Swaged Nozzle
GAS2056	3	Type 5 No.2 Swaged Nozzle
GAS2057	3	Type 5 No.3 Swaged Nozzle
GAS2058	3	Type 5 No.5 Swaged Nozzle
GAS2059	3	Type 5 No.7 Swaged Nozzle
GAS2060	3	Type 5 No.10 Swaged Nozzle
GAS2061	3	Type 5 No.13 Swaged Nozzle
GAS2062	3	Type 5 No.18 Swaged Nozzle
GAS2063	3	Type 5 No.25 Swaged Nozzle
GAS2064	3	Type 5 No.35 Swaged Nozzle
GAS2065	3	Type 5 No.45 Swaged Nozzle


## Type 5 Cutting



Part No.		Description
GAS2049	1	Type 5 Shank
GAS2050	2	Type 5 Cutting Attachment
GAS2090 - 2096	3	PNMS
GAS2120 - 2126	4	PNML
GAS2070 - 2076	5	ANMS
GAS2078 - 2084	6	ANML
GAS2088	7	ASNM
GAS2085 - 2087	8	AGNM




## AHT Heating Nozzle




Part No.		Description
GAS2049	1	Type 5 Shank
GAS2051	2	Type 5 Welding Mixer
GAS2154	3	AHT Heating Neck
GAS2151	4	AHT 25 Heating Nozzle
GAS2152	4	AHT 50 Heating Nozzle
GAS2153	4	AHT 100 Heating Nozzle

## Super Heating




Part No.		Description
GAS2049	1	Type 5 Shank
GAS2052	2	Type 5 Propane Mixer
GAS2161	3	Stainless Steel 12" Bent Neck (270mm)
GAS2162	3	Stainless Steel 28" Bent Neck (700mm)
GAS2156	4	Heating Nozzle - 1 H
GAS2157	5	Heating Nozzle - 2 H
GAS2158	6	Heating Nozzle - 3 H
GAS2159	7	Heating Nozzle - 4 H
GAS2160	8	Heating Nozzle - 5 H

## NMSH Adaptor Heating



Part No.		Description
	1	See Cutting Torch options
GAS3027	2	NMSH Adaptor
GAS2003	3	NM Headnut
GAS2156	4	Heating Nozzle - 1 H
GAS2157	5	Heating Nozzle - 2 H
GAS2158	6	Heating Nozzle - 3 H
GAS2159	7	Heating Nozzle - 4 H
GAS2160	8	Heating Nozzle - 5 H

## PHNM Nozzle Heating



Part No.		Description
	1	See cutting Torch Options
GAS3035	2	PHNM Nozzle
GAS3036	3	PHNM Nozzle Insert

# SIEVERT®

## Heating tools for professionals

- A professional and powerful torch kit, ideal for soft soldering, brazing, melting, metalworks, paintstripping and other heating jobs.
- Includes handle 3486, necktube 3511, burner 2941 and 2 metre fixed hose.
- Available with or without regulator.

Sievert Pro 86 Multi purpose  
Torch Kit C/W Regulator  
**Part No: GAS0103**

Sievert Pro 86 Multi purpose  
Torch Kit Without Regulator  
**Part No: GAS0104**



Sievert Pro 88 Handle C/W  
3/8 BSP LH Fittings  
(348841)  
**Part No: GAS0106**

- Double valved handle mainly for larger burners
- Incorporates one main valve and one economizer valve enabling a gas saving pilot flame
- Trigger for instant shifting between pilot and main flame and for pulsing the main flame
- All metal parts made of high quality brass
- Ergonomically designed plastic composite handle
- Double moulded soft grip for highest comfort and useability
- Delivered without hose nipple

Pro 86/88 Neck Tube  
750mm (350601)  
**Part No: GAS0107**

Pro 86/88 Neck Tube  
500mm (350701)  
**Part No: GAS0108**



- Heavy-duty light weight power burners with extremely strong and windproof flames to withstand the severest weather conditions
- Ideal for drying, bitumen laying, detail and field torching, preheating before welding, melting snow/ice and other heat demanding applications
- For connection to Sievert Pro necktubes
- Recommended working pressure 4 bar



	(294202)	(294302)	(294402)
Burner diam Ø mm	32	35	50
<b>Part No.</b>	<b>GAS0109</b>	<b>GAS0110</b>	<b>GAS0111</b>





# SIEVERT®

## Heating tools for professionals



Sievert Promatic Handle C/W  
3/8 BSP LH Fittings  
(336611)

**Part No: GAS0100**

- Plastic composite handle reinforced with 30% glass fibres for maximum durability.
- Double moulded soft grip for highest comfort and usability.
- Piezo igniton with instant trigger on/off function.
- Bayonet fitting for burners.
- Swivelling hose connection to avoid hose drag.
- Combined suspension hook and footstand.
- Valve for precise flame setting.
- Delivered without hose nipple.



- Cyclone flame burners are the most efficient burners for brazing and soft soldering
- The rotating flame gives an even and all-round heat transfer to the pipe
- Working pressure 2 bar



Application	19mm Ø (333501)	25mm Ø (333601)
Soft Soldering about 400°C max. pipe diameter Ø mm	32	70
Brazing up to 720°C max. pipe diameter Ø mm	18	32
<b>Part No.</b>	<b>GAS0101</b>	<b>GAS0102</b>



Light Weight Cutting & Welding Kit  
**Part No: GAS5198**

**Kit includes:**

- S/S 2g Oxygen regulator
- S/S 2g Acetylene regulator
- Oxygen FBA
- Fuel gas FBA
- Lightweight shank
- Lightweight cutting attachment
- Lightweight mixer
- Lightweight swaged nozzles: 1,3,5,10,13
- Nozzle cleaners
- Triple flint lighter
- AFN 1/32 and 3/64 nozzle
- DF combi spanner 28-21mm UK type

Type 3 Type 5 Cutting & Welding Kit  
**Part No: GAS5199**

**Kit includes:**

- S/S 2g Oxygen regulator
- S/S 2g Acetylene regulator
- Oxygen FBA
- Fuel gas FBA
- Type 5 shank
- Type 5 cutting attachment
- Type 5 mixer
- Type 5 swaged nozzles: 1,3,5,10,13
- Nozzle cleaners
- Triple flint lighter
- ANMS 3/64 and 1/16 nozzles,
- DF combi spanner 28-21mm UK type



Alloy Box for cutting & Welding Kit  
**Part No. GAS0024**



**Build your own Gas cutting or Welding kit, select your items and we will build it for you:**

► **Lightweight Welding & Cutting Kit Inc Alloy Box** **Part No: GAS5200**

Lightweight shank, lightweight cutting attachment, lightweight mixer, lightweight swaged nozzles: 1,2,3,5,7,10,13, nozzle cleaners, AFN 1/32 and 3/64 nozzle, DF combi spanner 28-19mm EU type.

► **Type 5 Welding & Cutting Kit Inc Alloy Box** **Part No: GAS5201**

Type 5 shank, type 5 cutting attachment, type 5 mixer, type 5 swaged nozzles: 1,2,3,5,7,10,13, nozzle cleaners, ANMS 1/32 and 3/64 nozzles, DF combi spanner 28-19mm EU type.

► **Full Type 5 Welding & Cutting Kit, Inc Alloy Box** **Part No: GAS5202**

As per GAS5201 + additional products: S/S 2g Oxygen regulator, S/S 2g Acetylene regulator, Oxygen FBA, Fuel gas FBA, cup type lighter, 3/8 x 5 Mtr Oxygen/Acetylene hose set.

► **Contractors Oxygen/Acetylene Cutting Kit, Inc Alloy Box** **Part No: GAS5203**

GAS2005P - 18/90 cutter, S/S plugged Oxygen regulator, S/S plugged Acetylene regulator, cup type lighter, DF combi spanner 28-19mm EU type, Oxygen FBA, Fuel gas FBA, ANMS 1/32 and 3/64 nozzles, 3/8 x 10 Mtr Oxygen/Acetylene hose set.

► **Contractors Oxygen/Propane Cutting Kit, Inc Alloy Box** **Part No: GAS5204**

GAS2005P - 18/90 cutter, S/S plugged Oxygen regulator, S/S plugged Propane regulator, cup type lighter, DF combi spanner 28-19mm EU type, Oxygen FBA, Fuel gas FBA, PNMS 1/32 and 3/64 nozzles, 3/8 x 10 Mtr Oxygen/Propane hose set.

► **Portable Welding & Cutting Kit, Inc Alloy Box** **Part No: GAS5205**

Lightweight shank, lightweight mixer, lightweight cutting attachment, S/S 2g Oxygen regulator, S/S 2g Acetylene regulator, 1/4 x 5 Mtr Oxygen/Acetylene fitted hose set, WG1269 portable trolley, Oxygen FBA, Fuel gas FBA, cup type lighter, DF combi spanner 28-19mm EU type, lightweight nozzle: 2,3,5,7, AFN nozzle 1/32 and 3/64, nozzles cleaners.



# Weldgas FULLY FITTED HOSE SETS



## High Quality Fitted Hose - Full BS Certification

Part No.	Description	
GAS4000	6mm - 5 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Oxygen
GAS4001	6mm - 10 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Oxygen
GAS4002	6mm - 15 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Oxygen
GAS4003	6mm - 20 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Oxygen
GAS4068	6mm - 30 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Oxygen
GAS4004	6mm - 5 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Acetylene
GAS4005	6mm - 10 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Acetylene
GAS4006	6mm - 15 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Acetylene
GAS4007	6mm - 20 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Acetylene
GAS4064	6mm - 30 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Acetylene
GAS4008	6mm - 5 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Propane
GAS4009	6mm - 10 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Propane
GAS4010	6mm - 15 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Propane
GAS4011	6mm - 20 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Propane
GAS4069	6mm - 30 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Propane
GAS4012	6mm - 5 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS4013	6mm - 10 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS4014	6mm - 15 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS4015	6mm - 20 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS4016	6mm - 30 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS4017	6mm - 5 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS4018	6mm - 10 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS4019	6mm - 15 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS4020	6mm - 20 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS4021	6mm - 30 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS4022	6mm - 5 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane
GAS4023	6mm - 10 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane
GAS4024	6mm - 15 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane
GAS4025	6mm - 20 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane
GAS4026	6mm - 30 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane

\* Hoses can be made to customers requirements



# **Weldgas FULLY FITTED HOSE SETS**



Part No.	Description	
GAS4027	8mm - 5 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS4028	8mm - 10 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS4029	8mm - 15 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS4030	8mm - 20 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS4031	8mm - 30 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS4032	8mm - 5 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS4033	8mm - 10 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS4034	8mm - 15 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS4035	8mm - 20 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS4036	8mm - 30 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS5300	8mm - 5 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane
GAS5301	8mm - 10 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane
GAS5302	8mm - 15 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane
GAS5303	8mm - 20 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane
GAS5304	8mm - 30 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane
GAS4037	10mm - 5 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS4038	10mm - 10 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS4039	10mm - 15 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS4040	10mm - 20 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS4041	10mm - 30 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS4070	10mm - 50 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS4042	10mm - 5 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS4043	10mm - 10 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS4044	10mm - 15 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS4045	10mm - 20 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS4046	10mm - 30 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS4071	10mm - 50 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS4047	10mm - 5 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane
GAS4048	10mm - 10 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane
GAS4049	10mm - 15 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane
GAS4050	10mm - 20 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane
GAS4051	10mm - 30 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane
GAS4072	10mm - 50 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane

\* Hoses can be made to customers requirements

# **Weldgas PREMIUM FITTED HOSES**



Part No.	Description	
GAS5310	6mm - 5 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Oxygen
GAS5311	6mm - 10 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Oxygen
GAS5312	6mm - 20 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Oxygen
GAS5313	6mm - 5 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Acetylene
GAS5314	6mm - 10 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Acetylene
GAS5315	6mm - 20 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Acetylene
GAS5316	6mm - 5 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Propane
GAS5317	6mm - 10 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Propane
GAS5318	6mm - 20 mtr 3/8 BSP Nut C/W 1/4 BSP HCV	Propane
GAS5319	6mm - 5 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS5320	6mm - 10 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS5321	6mm - 20 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS5322	6mm - 5 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS5323	6mm - 10 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS5324	6mm - 20 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS5325	6mm - 5 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane
GAS5326	6mm - 10 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane
GAS5327	6mm - 20 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane
GAS5328	10mm - 5 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS5329	10mm - 10 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS5330	10mm - 20 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS5331	10mm - 30 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Oxygen
GAS5332	10mm - 5 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS5333	10mm - 10 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS5334	10mm - 20 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS5335	10mm - 30 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Acetylene
GAS5336	10mm - 5 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane
GAS5337	10mm - 10 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane
GAS5338	10mm - 20 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane
GAS5339	10mm - 30 mtr 3/8 BSP Nut C/W 3/8 BSP HCV	Propane

\* Hoses can be made to customers requirements

## Acetylene Hose - 100 Metre Coil

Part No.	Description	
GAS4052	6mm	Red / Acetylene
GAS4053	8mm	Red / Acetylene
GAS4054	10mm	Red / Acetylene
GAS5342	6mm	Red / Acetylene
GAS5343	10mm	Red / Acetylene



## Oxygen Hose - 100 Metre Coil

Part No.	Description	
GAS4055	6mm	Blue / Oxygen
GAS4056	8mm	Blue / Oxygen
GAS4057	10mm	Blue / Oxygen
GAS5340	6mm	Premium Blue/ Oxygen
GAS5341	10mm	Premium Blue/ Oxygen



## Propane Hose - 100 Metre Coil

Part No.	Description	
GAS4058	6mm	Orange / Propane
GAS4059	8mm	Orange / Propane
GAS4060	10mm	Orange / Propane
GAS5344	6mm	Orange / Propane
GAS5345	10mm	Orange / Propane



## Air Hose - 100 Metre Coil

Part No.	Description	
GAS4061	6mm	Black / Air Hose - 100 Mtr Coil
GAS4063	10mm	Black / Air Hose - 100 Mtr Coil



## PVC Braided Hose (2mm wall thickness)

Part No.	Description	
GAS4065	1/4"	Clear / Braided Hose - 30 Mtr Coil
GAS4066	5/16"	Clear / Braided Hose - 30 Mtr Coil
GAS4067	3/8"	Clear / Braided Hose - 30 Mtr Coil



# HOSE CLIPS / HOSE REELS

## Single Eared Stainless Steel Clips C/W Clamp - Genuine Oetiker

Part No.	Size
----------	------

GAS5037	7.5mm
---------	-------

GAS5038	8.7mm
---------	-------

GAS5039	9.5mm
---------	-------

GAS5040	10.5mm
---------	--------

GAS5041	12.8mm
---------	--------



## Double Eared Zinc Plated Hose Clips - Genuine Oetiker

Part No.	Size
----------	------

GAS5030	7- 9mm - 5/16"
---------	----------------

GAS5031	8.1-11mm - 3/8"
---------	-----------------

GAS5032	10.8-13mm - 1/2"
---------	------------------

GAS5033	12.5-15mm - 9/16" for 1/4" Hose
---------	---------------------------------

GAS5034	15- 18mm - 19/32" for 5/16" & 3/8" Hose
---------	---

GAS5035	17- 20mm - 3/4"
---------	-----------------

GAS5036	20-23mm - 7/8"
---------	----------------



O Clip Pliers  
Part No: GAS5042

## Hose Joining Clips

Part No.	Description/ Size
----------	-------------------

GAS5147	Plastic Hose Safety Clips 13 - 13mm
---------	-------------------------------------

GAS5146	Plastic Hose Safety Clips 16 - 16mm
---------	-------------------------------------

Part No.	Size
----------	------


GAS5043	Butterfly Hose Clips BZP 13 - 13mm
---------	------------------------------------

GAS5044	Butterfly Hose Clips BZP 16 - 16mm
---------	------------------------------------



Hose Reel  
Part No: GAS5047

Suitable for up to 20 Mtr 1/4" bore hoses  
or 15 Mtr 3/8" bore hoses





## Premium Hose Check Valves BSP Thread

Part No.	Description
GAS5000	1/4 BSP RH HCV - 1/4" Hose Tail
GAS5001	1/4 BSP LH HCV - 1/4" Hose Tail
GAS5002	3/8 BSP RH HCV - 1/4" Hose Tail
GAS5003	3/8 BSP LH HCV - 1/4" Hose Tail
GAS5004	3/8 BSP RH HCV - 5/16" Hose Tail
GAS5005	3/8 BSP LH HCV - 5/16" Hose Tail
GAS5006	3/8 BSP RH HCV - 3/8" Hose Tail
GAS5007	3/8 BSP LH HCV - 3/8" Hose Tail



## Hose Tails & Nuts


Part No.	Description
GAS5099	1/4" - 3/16" Hose Tail
GAS5008	1/4" - 1/4" Hose Tail
GAS5009	3/8" - 3/16" Hose Tail
GAS5010	3/8" - 1/4" Hose Tail
GAS5011	3/8" - 5/16" Hose Tail
GAS5012	3/8" - 3/8" Hose Tail
GAS5013	1/4 BSP RH Nut
GAS5014	1/4 BSP LH Nut
GAS5015	3/8 BSP RH Nut
GAS5016	3/8 BSP LH Nut



## Hose Coupler & Adaptors

Part No.	Description
GAS5020	1/4 BSP - 1/4 BSP RH Couplers
GAS5021	1/4 BSP - 1/4 BSP LH Couplers
GAS5022	1/4 BSP - 3/8 BSP RH Couplers
GAS5023	1/4 BSP - 3/8 BSP LH Couplers
GAS5024	3/8 BSP - 3/8 BSP RH Couplers
GAS5025	3/8 BSP - 3/8 BSP LH Couplers

Part No.	Description
GAS5026	1/4 BSP Thread to 3/8 BSP Nut RH Straight Adaptors
GAS5027	1/4 BSP Thread to 3/8 BSP Nut LH Straight Adaptors
GAS5028	3/8 BSP Thread to 1/4 BSP Nut RH Bent Adaptors
GAS5029	3/8 BSP Thread to 1/4 BSP Nut LH Bent Adaptors



## Hose Splicers

Part No.	Description
GAS5045	Splicer 3/16" (5mm)
GAS5017	Splicer 1/4" (6mm)
GAS5018	Splicer 5/16" (8mm)
GAS5019	Splicer 3/8" (10mm)





Combination Spanner UK Type  
28mm - 21mm  
**Part No: GAS5060**



Combination Spanner EU Type  
28mm - 19mm  
**Part No: GAS5061**



Spindle Key  
**Part No: GAS5062**



Pistol Lighter  
**Part No: GAS5050**



Triple Flint Lighter  
**Part No: GAS5052**



Cup Flint Lighter  
**Part No: GAS5054**



Pistol Type Flints  
(Pkt 10)  
**Part No: GAS5051**




Triple Flints  
(Each)  
**Part No: GAS5053**



Cup Type Flints  
(Pkt 10)  
**Part No: GAS5055**



Stainless Steel Piezo Lighters  
\*Choice of colours  
**Part No: GAS5056**



Nozzle Cleaners  
**Part No: GAS3022**

# **Weldgas CYLINDER TROLLEYS**



Extending Handle Oxygen/  
Acetylene Cylinder Trolley  
**Part No: WG2001**



Portapack Style Oxygen/  
Acetylene Cylinder Trolley  
**Part No: WG1269**



Solid Tyre Y-Type Oxygen/  
Acetylene Cylinder Trolley  
**Part No: WG1279**



Solid Tyre Heavy Duty Oxygen/ Acetylene  
midi flame pack cylinder trolley  
**Part No: WG2003**



Solid Tyre Oxygen/ Acetylene  
Cylinder Trolley  
**Part No: WG1267**



Solid tyre heavy duty Oxygen/  
Acetylene cylinder Trolley  
**Part No: WG2002**



16" Pneumatic Tyre Oxygen/  
Acetylene Cylinder Trolley  
**Part No: WG1273**



Solid Tyre C/W 3 wheels Oxygen/  
Acetylene Cylinder Trolley  
**Part No: WG1274**

**Reflex**



Solid Tyre Oxygen/  
Propane Cylinder Trolley  
**Part No: WG1268**



16" Pneumatic Tyre Oxygen/  
Propane Cylinder Trolley  
**Part No: WG1275**



3 wheels Pneumatic Tyre  
Oxygen/Propane Cylinder Trolley  
**Part No: WG1274P**



HD Single  
Cylinder Trolley  
**Part No: WG2000**



Solid Tyre Single Oxygen/  
Acetylene Cylinder Trolley  
**Part No: WG1271**



Solid Tyre Single  
Propane Cylinder Trolley  
**Part No: WG1270**



Solid Tyre Sack Truck  
**Part No: WG1272**



Pneumatic Type Sack Truck  
**Part No: WG1264**



# CYLINDER CAGES & WALL BRACKETS



High quality UK manufactured expanding cylinder cages. Easy, quick Assembly no tools needed.

Expanding Cylinder cages					
Part No.	Height (cm)	Width (cm)	Depth (cm)	Weight (Kg)	Cylinder Size
KBCC08	140	41- 77.5	39	16	2 x 47Kg Propane
KBCC09	95	41-77.5	39	8	2 x 19Kg Propane
KBCC10	95	43 -77	80	16	4 x 19Kg Propane
KBCC11	170	41-77.5	55.5	18	6 x Argon / Nitrogen / Oxygen / Hydrogen Size W
KBCC12	140	41-77.5	39	16	2 x Acetylene Size H
KBCC13	95	41-77.5	39	8	3 x Acetylene Size A & J / 8 x Acetylene Size M & K / 10 x Hydrogen Size B
KBCC14	123	112-200	78.5	20	12 x 19Kg Propane
KBCC15	170	41-77.5	55.5	18	1x Oxygen Size W 1x Propane size E

\*International global patent PCT/GB2016/052623 copyright© REFLEX



Wall Brackets				
Part No.	Height (cm)	Width (cm)	No. Cylinders	Cylinder Size
KBSC05	100	33	2	W, F, G, H
KBSC06	100	33	3	W, F, G, H
KBSC07	77	40	2	E
KBSC08	70	40	2	E, W

## Tempilstik<sup>®</sup> - Temperature Indicators



Part No.	Description
GAS5100	Tempilstik - 122°F / 50°C
GAS5101	Tempilstik - 167°F / 75°C
GAS5125	Tempilstik - 175°F / 79°C
GAS5126	Tempilstik - 176°F / 80°C
GAS5127	Tempilstik - 194°F / 90°C
GAS5103	Tempilstik - 212°F / 100°C
GAS5119	Tempilstik - 213°F / 101°C
GAS5104	Tempilstik - 230°F / 110°C
GAS5105	Tempilstik - 248°F / 120°C
GAS5128	Tempilstik - 266°F / 130°C
GAS5107	Tempilstik - 300°F / 149°C
GAS5108	Tempilstik - 302°F / 150°C
GAS5109	Tempilstik - 347°F / 175°C

Part No.	Description
GAS5120	Tempilstik - 388°F / 198°C
GAS5110	Tempilstik - 392°F / 200°C
GAS5111	Tempilstik - 400°F / 204°C
GAS5112	Tempilstik - 437°F / 225°C
GAS5113	Tempilstik - 482°F / 250°C
GAS5118	Tempilstik - 500°F / 260°C
GAS5121	Tempilstik - 525°F / 274°C
GAS5114	Tempilstik - 575°F / 302°C
GAS5115	Tempilstik - 662°F / 350°C
GAS5116	Tempilstik - 752°F / 400°C
GAS5117	Tempilstik - 932°F / 500°C
GAS5123	Tempilstik - 1112°F / 600°C

## ESTIK<sup>™</sup> Tempilstik Kit



Incorporated with the latest micro-thermocouple technology and an advanced accuracy of +/- 2%, this patented Estik measures the surface temperature from 32°F (0°C) to 999°F (537°C). Specially engineered for fast and convenient monitoring, Estik improves accuracy by eliminating errors due to reflection and other surface conditions.

**ESTIK<sup>™</sup> Electronic Kit**  
Part No: GAS5124

## Chalk



Flat Soapstone Chalk  
125mm x 12mm x 5mm  
(Box 144)  
Part No: GAS5065



Flat French Chalk Holder  
Part No: GAS5064



Square Soapstone Chalk  
100mm x 10mm x 10mm  
(Box 50)  
Part No: GAS5063

### MARKAL® Ball Paint Markers

Part No.	Description
GAS5066	Ball Paint Marker - Yellow
GAS5067	Ball Paint Marker - White
GAS5068	Ball Paint Marker - Black
GAS5069	Ball Paint Marker - Red
GAS5070	Ball Paint Marker - Orange
GAS5071	Ball Paint Marker - Blue



### MARKAL® 'B' Solid Paint Markers

Part No.	Description
GAS5073	Solid Paint Marker - Yellow
GAS5074	Solid Paint Marker - White
GAS5075	Solid Paint Marker - Black
GAS5076	Solid Paint Marker - Red
GAS5077	Solid Paint Marker - Orange
GAS5078	Solid Paint Marker - Blue
GAS5079	Solid Paint Marker - Green
GAS5080	Solid Paint Marker - Pink
GAS5084	Solid Paint Marker - Aluminium
GAS5085	Solid Paint Marker - Fluorescent Yellow



MARKAL® B-L Solid Paintstik Blue

Bleeds through Solvent & Oil Primers & Painted Surfaces

**Part No: GAS5086**



MARKAL® BL-W Paintstik Blue

Bleeds through Water Based Primers & Painted Surfaces

**Part No: GAS5087**



### MARKAL® Valve Action Markers

Part No.	Description
GAS5088	Valve Action Marker - Yellow
GAS5089	Valve Action Marker - Black
GAS5090	Valve Action Marker - White



### MARKAL® Welder's pencil

Markal Silver-Streak and Red-Riter welders pencils make torch-resistant marks that will not burn or rub off like soapstone. Ideal for fine line marking during metal layout and fabrication, these highly visible marks illuminate when cutting or welding.

Part No.	Description
GAS5148	Silver-streak Welder's pencil
GAS5149	Red-riter Welder's pencil



# THERMIC LANCE HOLDERS & ACCESSORIES



A thermic lance is a tool that heats and melts steel in the presence of pressurized oxygen to create the very high temperatures required for cutting. It consists of a long steel tube packed with alloy steel rods, sometimes mixed with aluminium rods to increase the heat output. One end of the tube is placed in a holder and oxygen is fed through the tube.

The end of the tube is pre-heated and lit by an oxy/acetylene torch. An intense stream of burning steel is produced at the workpiece end and can be used to cut rapidly through thick materials including steel and concrete, mainly used in foundry or demolition applications.

## Thermic Lance - Compression Holder



Thermic Lance  
Compression Holder  
Part No: GAS2200



Collet  
Part No: GAS2201



Rubber  
Part No: GAS2204

## Thermic Lance - Quick Release




Quick Release Thermic Lance Holder  
Part No: GAS2203



3/8" Adaptor for Quick Release Holder  
Part No: GAS2206

## Thermic Lance - Length 3 Metre



Screwed & Socketed Both Ends  
10mm (3/8" BSPT)

Part No: GAS2205

**\* Additional Carriage charge on Thermic Lances**